

## Chapter 9

# Integrating Steel-Belted Radius/SPE Server

The Juniper Networks Steel-Belted Radius/Service Provider Edition (SPE) server is a carrier-grade RADIUS/AAA solution. It provides the reliability, performance, and specialized technology demanded by carriers, wholesalers, and service providers. Refer to the *SRC-PE Release Notes* for information about compatibility of this SRC release with Steel-Belted Radius/SPE server releases. The SRC software does not support the use of RADIUS with JUNOS routing platforms.

Topics in this chapter include:

- System Requirements for the Steel-Belted Radius Server on page 83
- Installing the Steel-Belted Radius/SPE Software on page 83

The SRC software can take advantage of a RADIUS server to authenticate against an LDAP server, which is used to store subscriber and service information, among other information.

## System Requirements for the Steel-Belted Radius Server

---

You can find information about the system requirements for the Steel-Belted Radius server in the release notes at the following Web site:

[http://www.juniper.net/techpubs/software/aaa\\_802/sbr.html](http://www.juniper.net/techpubs/software/aaa_802/sbr.html)

## Installing the Steel-Belted Radius/SPE Software

---

You need the Steel-Belted Radius/SPE software CD and a valid license string. Use the procedure that is appropriate for your installation.

You must have JNPRsbrsp.pkg and UMCsbrspa.pkg to install and integrate the Steel-Belted Radius/SPE software. Further information about the installation and configuration procedures is located at the following Web site:

[http://www.juniper.net/techpubs/software/aaa\\_802/sbr.html](http://www.juniper.net/techpubs/software/aaa_802/sbr.html)

