



SRC-PE Software

Comprehensive Index

Release 2.0.x

Juniper Networks, Inc.

1194 North Mathilda Avenue
Sunnyvale, CA 94089

USA

408-745-2000

www.juniper.net

Juniper Networks, the Juniper Networks logo, NetScreen, and ScreenOS are registered trademarks of Juniper Networks, Inc. in the United States and other countries. JUNOS and JUNOSe are trademarks of Juniper Networks, Inc. All other trademarks, service marks, registered trademarks, or registered service marks are the property of their respective owners.

Juniper Networks assumes no responsibility for any inaccuracies in this document. Juniper Networks reserves the right to change, modify, transfer, or otherwise revise this publication without notice.

This product includes the following software: Fontconfig, X FreeType library, X Render extension headers, and X Render extension library, copyright © 2001, 2003 Keith Packard.

Permission to use, copy, modify, distribute, and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Keith Packard not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission. Keith Packard makes no representations about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

KEITH PACKARD DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL KEITH PACKARD BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Products made or sold by Juniper Networks (including the ERX-310, ERX-705, ERX-710, ERX-1410, ERX-1440, M5, M7i, M10, M10i, M20, M40, M40e, M160, M320, and T320 routers, T640 routing node, and the JUNOS, JUNOSe, and SDX-300 software) or components thereof might be covered by one or more of the following patents that are owned by or licensed to Juniper Networks: U.S. Patent Nos. 5,473,599, 5,905,725, 5,909,440, 6,192,051, 6,333,650, 6,359,479, 6,406,312, 6,429,706, 6,459,579, 6,493,347, 6,538,518, 6,538,899, 6,552,918, 6,567,902, 6,578,186, and 6,590,785.

Copyright © 2007, Juniper Networks, Inc.
All rights reserved. Printed in USA.

SRC-PE Software Comprehensive Index, Release 2.0.x
Writing: Linda Creed, Diane Florio, Justine Kangas, Betty Lew, Helen Shaw
Editing: Fran Mues
Cover Design: Edmonds Design

Revision History
1 October 2007—Revision 1

The information in this document is current as of the date listed in the revision history.

Software License

The terms and conditions for using this software are described in the software license contained in the acknowledgment to your purchase order or, to the extent applicable, to any reseller agreement or end-user purchase agreement executed between you and Juniper Networks. By using this software, you indicate that you understand and agree to be bound by those terms and conditions.

Generally speaking, the software license restricts the manner in which you are permitted to use the software and may contain prohibitions against certain uses. The software license may state conditions under which the license is automatically terminated. You should consult the license for further details.

For complete product documentation, please see the Juniper Networks Web site at www.juniper.net/techpubs.

END USER LICENSE AGREEMENT

READ THIS END USER LICENSE AGREEMENT ("AGREEMENT") BEFORE DOWNLOADING, INSTALLING, OR USING THE SOFTWARE. BY DOWNLOADING, INSTALLING, OR USING THE SOFTWARE OR OTHERWISE EXPRESSING YOUR AGREEMENT TO THE TERMS CONTAINED HEREIN, YOU (AS CUSTOMER OR IF YOU ARE NOT THE CUSTOMER, AS A REPRESENTATIVE/AGENT AUTHORIZED TO BIND THE CUSTOMER) CONSENT TO BE BOUND BY THIS AGREEMENT. IF YOU DO NOT OR CANNOT AGREE TO THE TERMS CONTAINED HEREIN, THEN (A) DO NOT DOWNLOAD, INSTALL, OR USE THE SOFTWARE, AND (B) YOU MAY CONTACT JUNIPER NETWORKS REGARDING LICENSE TERMS.

1. The Parties. The parties to this Agreement are Juniper Networks, Inc. and its subsidiaries (collectively "Juniper"), and the person or organization that originally purchased from Juniper or an authorized Juniper reseller the applicable license(s) for use of the Software ("Customer") (collectively, the "Parties").

2. The Software. In this Agreement, "Software" means the program modules and features of the Juniper or Juniper-supplied software, and updates and releases of such software, for which Customer has paid the applicable license or support fees to Juniper or an authorized Juniper reseller. "Embedded Software" means Software which Juniper has embedded in the Juniper equipment.

3. License Grant. Subject to payment of the applicable fees and the limitations and restrictions set forth herein, Juniper grants to Customer a non-exclusive and non-transferable license, without right to sublicense, to use the Software, in executable form only, subject to the following use restrictions:

- a. Customer shall use the Embedded Software solely as embedded in, and for execution on, Juniper equipment originally purchased by Customer from Juniper or an authorized Juniper reseller.
- b. Customer shall use the Software on a single hardware chassis having a single processing unit, or as many chassis or processing units for which Customer has paid the applicable license fees; provided, however, with respect to the Steel-Belted Radius or Odyssey Access Client software only, Customer shall use such Software on a single computer containing a single physical random access memory space and containing any number of processors. Use of the Steel-Belted Radius software on multiple computers requires multiple licenses, regardless of whether such computers are physically contained on a single chassis.
- c. Product purchase documents, paper or electronic user documentation, and/or the particular licenses purchased by Customer may specify limits to Customer's use of the Software. Such limits may restrict use to a maximum number of seats, registered endpoints, concurrent users, sessions, calls, connections, subscribers, clusters, nodes, realms, devices, links, ports or transactions, or require the purchase of separate licenses to use particular features, functionalities, services, applications, operations, or capabilities, or provide throughput, performance, configuration, bandwidth, interface,

processing, temporal, or geographical limits. In addition, such limits may restrict the use of the Software to managing certain kinds of networks or require the Software to be used only in conjunction with other specific Software. Customer's use of the Software shall be subject to all such limitations and purchase of all applicable licenses.

- d. For any trial copy of the Software, Customer's right to use the Software expires 30 days after download, installation or use of the Software. Customer may operate the Software after the 30-day trial period only if Customer pays for a license to do so. Customer may not extend or create an additional trial period by re-installing the Software after the 30-day trial period.
- e. The Global Enterprise Edition of the Steel-Belted Radius software may be used by Customer only to manage access to Customer's enterprise network. Specifically, service provider customers are expressly prohibited from using the Global Enterprise Edition of the Steel-Belted Radius software to support any commercial network access services.

The foregoing license is not transferable or assignable by Customer. No license is granted herein to any user who did not originally purchase the applicable license(s) for the Software from Juniper or an authorized Juniper reseller.

4. Use Prohibitions. Notwithstanding the foregoing, the license provided herein does not permit the Customer to, and Customer agrees not to and shall not: (a) modify, unbundle, reverse engineer, or create derivative works based on the Software; (b) make unauthorized copies of the Software (except as necessary for backup purposes); (c) rent, sell, transfer, or grant any rights in and to any copy of the Software, in any form, to any third party; (d) remove any proprietary notices, labels, or marks on or in any copy of the Software or any product in which the Software is embedded; (e) distribute any copy of the Software to any third party, including as may be embedded in Juniper equipment sold in the secondhand market; (f) use any 'locked' or key-restricted feature, function, service, application, operation, or capability without first purchasing the applicable license(s) and obtaining a valid key from Juniper, even if such feature, function, service, application, operation, or capability is enabled without a key; (g) distribute any key for the Software provided by Juniper to any third party; (h) use the Software in any manner that extends or is broader than the uses purchased by Customer from Juniper or an authorized Juniper reseller; (i) use the Embedded Software on non-Juniper equipment; (j) use the Software (or make it available for use) on Juniper equipment that the Customer did not originally purchase from Juniper or an authorized Juniper reseller; (k) disclose the results of testing or benchmarking of the Software to any third party without the prior written consent of Juniper; or (l) use the Software in any manner other than as expressly provided herein.

5. Audit. Customer shall maintain accurate records as necessary to verify compliance with this Agreement. Upon request by Juniper, Customer shall furnish such records to Juniper and certify its compliance with this Agreement.

6. Confidentiality. The Parties agree that aspects of the Software and associated documentation are the confidential property of Juniper. As such, Customer shall exercise all reasonable commercial efforts to maintain the Software and associated documentation in confidence, which at a minimum includes restricting access to the Software to Customer employees and contractors having a need to use the Software for Customer's internal business purposes.

7. Ownership. Juniper and Juniper's licensors, respectively, retain ownership of all right, title, and interest (including copyright) in and to the Software, associated documentation, and all copies of the Software. Nothing in this Agreement constitutes a transfer or conveyance of any right, title, or interest in the Software or associated documentation, or a sale of the Software, associated documentation, or copies of the Software.

8. Warranty, Limitation of Liability, Disclaimer of Warranty. The warranty applicable to the Software shall be as set forth in the warranty statement that accompanies the Software (the "Warranty Statement"). Nothing in this Agreement shall give rise to any obligation to support the Software. Support services may be purchased separately. Any such support shall be governed by a separate, written support services agreement. TO THE MAXIMUM EXTENT PERMITTED BY LAW, JUNIPER SHALL NOT BE LIABLE FOR ANY LOST PROFITS, LOSS OF DATA, OR COSTS OR PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES, OR FOR ANY SPECIAL, INDIRECT, OR CONSEQUENTIAL DAMAGES ARISING OUT OF THIS AGREEMENT, THE SOFTWARE, OR ANY JUNIPER OR JUNIPER-SUPPLIED SOFTWARE. IN NO EVENT SHALL JUNIPER BE LIABLE FOR DAMAGES ARISING FROM UNAUTHORIZED OR IMPROPER USE OF ANY JUNIPER OR JUNIPER-SUPPLIED SOFTWARE. EXCEPT AS EXPRESSLY PROVIDED IN THE WARRANTY STATEMENT TO THE EXTENT PERMITTED BY LAW, JUNIPER DISCLAIMS ANY AND ALL WARRANTIES IN AND TO THE SOFTWARE (WHETHER EXPRESS, IMPLIED, STATUTORY, OR OTHERWISE), INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NONINFRINGEMENT. IN NO EVENT DOES JUNIPER WARRANT THAT THE SOFTWARE, OR ANY EQUIPMENT OR NETWORK RUNNING THE SOFTWARE, WILL OPERATE WITHOUT ERROR OR INTERRUPTION, OR WILL BE FREE OF VULNERABILITY TO INTRUSION OR ATTACK. In no event shall Juniper's or its suppliers' or licensors' liability to Customer, whether in contract, tort (including negligence), breach of warranty, or otherwise, exceed the price paid by Customer for the Software that gave rise to the claim, or if the Software is embedded in another Juniper product, the price paid by Customer for such other product. Customer acknowledges and agrees that Juniper has set its prices and entered into this Agreement in reliance upon the disclaimers of warranty and the limitations of liability set forth herein, that the same reflect an allocation of risk between the Parties (including the risk that a contract remedy may fail of its essential purpose and cause consequential loss), and that the same form an essential basis of the bargain between the Parties.

9. Termination. Any breach of this Agreement or failure by Customer to pay any applicable fees due shall result in automatic termination of the license granted herein. Upon such termination, Customer shall destroy or return to Juniper all copies of the Software and related documentation in Customer's possession or control.

10. Taxes. All license fees for the Software are exclusive of taxes, withholdings, duties, or levies (collectively "Taxes"). Customer shall be responsible for paying Taxes arising from the purchase of the license, or importation or use of the Software.

11. Export. Customer agrees to comply with all applicable export laws and restrictions and regulations of any United States and any applicable foreign agency or authority, and not to export or re-export the Software or any direct product thereof in violation of any such restrictions, laws or regulations, or without all necessary approvals. Customer shall be liable for any such violations. The version of the Software supplied to Customer may contain encryption or other capabilities restricting Customer's ability to export the Software without an export license.

12. Commercial Computer Software. The Software is "commercial computer software" and is provided with restricted rights. Use, duplication, or disclosure by the United States government is subject to restrictions set forth in this Agreement and as provided in DFARS 227.7201 through 227.7202-4, FAR 12.212, FAR 27.405(b)(2), FAR 52.227-19, or FAR 52.227-14(ALT III) as applicable.

13. Interface Information. To the extent required by applicable law, and at Customer's written request, Juniper shall provide Customer with the interface information needed to achieve interoperability between the Software and another independently created program, on payment of applicable fee, if any. Customer shall observe strict obligations of confidentiality with respect to such information and shall use such information in compliance with any applicable terms and conditions upon which Juniper makes such information available.

14. Third Party Software. Any licensor of Juniper whose software is embedded in the Software and any supplier of Juniper whose products or technology are embedded in (or services are accessed by) the Software shall be a third party beneficiary with respect to this Agreement, and such licensor or vendor shall have the right to enforce this Agreement in its own name as if it were Juniper. In addition, certain third party software may be provided with the Software and is subject to the accompanying license(s), if any, of its respective owner(s). To the extent portions of the Software are distributed under and subject to open source licenses obligating Juniper to make the source code for such portions publicly available (such as the GNU General Public License ("GPL") or the GNU Library General Public License ("LGPL")), Juniper will make such source code portions (including Juniper modifications, as appropriate) available upon request for a period of up to three years from the date of distribution. Such request can be made in writing to Juniper Networks, Inc., 1194 N. Mathilda Ave., Sunnyvale, CA 94089, ATTN: General Counsel. You may obtain a copy of the GPL at <http://www.gnu.org/licenses/gpl.html>, and a copy of the LGPL at <http://www.gnu.org/licenses/lgpl.html>.

15. Miscellaneous. This Agreement shall be governed by the laws of the State of California without reference to its conflicts of laws principles. The provisions of the U.N. Convention for the International Sale of Goods shall not apply to this Agreement. For any disputes arising under this Agreement, the Parties hereby consent to the personal and exclusive jurisdiction of, and venue in, the state and federal courts within Santa Clara County, California. This Agreement constitutes the entire and sole agreement between Juniper and the Customer with respect to the Software, and supersedes all prior and contemporaneous agreements relating to the Software, whether oral or written (including any inconsistent terms contained in a purchase order), except that the terms of a separate written agreement executed by an authorized Juniper representative and Customer shall govern to the extent such terms are inconsistent or conflict with terms contained herein. No modification to this Agreement nor any waiver of any rights hereunder shall be effective unless expressly assented to in writing by the party to be charged. If any portion of this Agreement is held invalid, the Parties agree that such invalidity shall not affect the validity of the remainder of this Agreement. This Agreement and associated documentation has been written in the English language, and the Parties agree that the English version will govern. (For Canada: Les parties aux présentes confirment leur volonté que cette convention de même que tous les documents y compris tout avis qui s'y rattache, soient rédigés en langue anglaise. (Translation: The parties confirm that this Agreement and all related documentation is and will be in the English language)).

About This Guide

This preface provides the following guidelines for using the *SRC-PE Software Comprehensive Index*:

- Overview on page v
- Book Title Abbreviations on page v
- Related Juniper Networks Documentation on page vi
- Obtaining Documentation on page viii
- Documentation Feedback on page viii
- Requesting Support on page viii

Overview

The comprehensive index provides a complete index of the SRC guides, excluding the *C-series Hardware Guide*, the *SRC-PE CLI Command Reference*, the *SRC-PE NETCONF API Guide*, the *SRC-PE XML API Configuration Reference*, and the *SRC-PE XML API Operational Reference*. The complete SRC documentation set is described in Table 2. We provide the comprehensive index with the documentation set on the *SRC Documentation CD*.

Book Title Abbreviations

Each entry in the index is preceded by a two-letter or three-letter abbreviation. This abbreviation denotes the title of the book in which the entry can be found. Table 1 provides a book title key of the abbreviations.

Table 1: Abbreviations and SRC Book Titles

Abbreviation	Book
AL	<i>SRC Application Library Guide</i>
CLI	<i>SRC-PE CLI User Guide</i>
GS	<i>SRC-PE Getting Started Guide</i>
IG	<i>SRC-PE Integration Guide: Network Devices, Directories, and RADIUS Servers</i>
MT	<i>SRC-PE Monitoring and Troubleshooting Guide</i>
NG	<i>SRC-PE Network Guide: SAE, Juniper Networks Routers, NIC, and SRC-ACP</i>
SG	<i>SRC-PE Solutions Guide</i>
SP	<i>SRC-PE Services and Policies Guide</i>
SS	<i>SRC-PE Subscribers and Subscriptions Guide</i>

Related Juniper Networks Documentation

Table 2 provides a list of the books in the SRC documentation set and describes the contents of each book.

Table 2: Juniper Networks C-series and SRC Technical Publications

Document	Description
Core Documentation Set	
<i>C2000 and C4000 Hardware Guide</i>	Describes the hardware platforms and how to install, maintain, replace, and troubleshoot them. The guide also includes specifications.
<i>C2000 and C4000 Quick Start Guide</i>	Describes how to get the C-series Controller up and running quickly. Intended for experienced installers who want to expedite the installation process.
<i>SRC-PE Getting Started Guide</i>	Describes the SRC software, how to set up an initial software configuration, and how to upgrade the SRC software. It also explains how to manage a C-series Controller. The guide describes how to set up and start the SRC CLI and the C-Web interface, as well as other SRC configuration tools. It includes reference material for the SRC documentation.
<i>SRC-PE CLI User Guide</i>	Describes how to use the SRC CLI, configure and monitor the platform with the CLI, and control the CLI environment. The guide also describes how to manage SRC components with the CLI.
<i>SRC-PE Network Guide: SAE, Juniper Networks Routers, NIC, and SRC-ACP</i>	Describes how to use and configure the SAE, the NIC, and the SRC-ACP (Admission Control Plug-In) application. This guide also provides detailed information for using JUNOSe routers and JUNOS routing platforms in the SRC network.
<i>SRC-PE Integration Guide: Network Devices, Directories, and RADIUS Servers</i>	Describes how to integrate external components—network devices, directories, and RADIUS servers—into the SRC network. The guide provides detailed information about integrating specific models of the external components.
<i>SRC-PE Services and Policies Guide</i>	Describes how to work with services and policies. The guide provides an overview, configuration procedures, and management information. The guide also provides information about the SRC tools for configuring policies.

Table 2: Juniper Networks C-series and SRC Technical Publications (continued)

Document	Description
<i>SRC-PE Subscribers and Subscriptions Guide</i>	Describes how to work with residential and enterprise subscribers and subscriptions. The guide provides an overview, configuration procedures, and management information. This guide also provides information about the enterprise service portals, including the Enterprise Manager Portal.
<i>SRC-PE Monitoring and Troubleshooting Guide</i>	Describes how to use logging, the SNMP agent, the SRC CLI, and the C-Web interface to monitor and troubleshoot SRC components. This guide also describes the SNMP traps.
<i>SRC-PE Solutions Guide</i>	Provides high-level instructions for SRC implementations. The guide documents the following scenarios: managing QoS services on JUNOS routers; managing subscribers in a wireless roaming environment; providing voice over IP (VoIP) services; integrating the SRC software in a PCMM environment, including the use of the Juniper Policy Server (JPS); and mirroring subscriber traffic on JUNOS routers.
<i>SRC-PE CLI Command Reference, Volume 1</i> <i>SRC-PE CLI Command Reference, Volume 2</i>	Together constitute information about command and statement syntax; descriptions of commands, configuration statements, and options; editing level of statement options; and a history of when a command was added to the documentation.
<i>SRC-PE NETCONF API Guide</i>	Describes how to use the NETCONF application programming interface (API) to configure or request information from the NETCONF server on a C-series Controller that runs the SRC software.
<i>SRC-PE XML API Configuration Reference</i>	Describes the tag elements in the SRC Extensible Markup Language (XML) application programming interface (API) that are equivalent to configuration statements in the SRC command-line interface (SRC CLI).
<i>SRC-PE XML API Operational Reference</i>	Describes the tag elements in the SRC Extensible Markup Language (XML) application programming interface (API) that are equivalent to operational commands in the SRC command-line interface (SRC CLI).
<i>SRC-PE Comprehensive Index</i>	Provides a complete index of the SRC guides, excluding the <i>C-series Hardware Guide</i> , the <i>SRC CLI Command Reference</i> , the <i>SRC-PE NETCONF API Guide</i> , the <i>SRC-PE XML API Configuration Reference</i> , and the <i>SRC-PE XML API Operational Reference</i> .
Application Library	
<i>SRC Application Library Guide</i>	Describes how to install and work with applications that you can use to extend the capabilities of the SRC software. The guide documents the following applications: SRC-SG (SOAP Gateway) Web applications, an application to provide threat mitigation, an application to provide tracking and QoS control at the application level by integrating the SRC software with the Ellacoya deep packet inspection (DPI) platform, and an application to control volume usage.
Release Notes	
<i>SRC-PE Release Notes</i> <i>SRC Application Library Release Notes</i>	<p>In the <i>Release Notes</i>, you will find the latest information about features, changes, known problems, resolved problems, supported platforms and network devices (such as Juniper Networks routers and CMTS devices), and third-party software. If the information in the <i>Release Notes</i> differs from the information found in the documentation set, follow the <i>Release Notes</i>.</p> <p>Release notes are included in the corresponding software distribution and are available on the Web.</p>

Obtaining Documentation

To obtain the most current version of all Juniper Networks technical documentation, see the products documentation page on the Juniper Networks Web site at

<http://www.juniper.net/>

To order printed copies of this index and other Juniper Networks technical documents, or to order a documentation CD, which contains this index, contact your sales representative.

Documentation Feedback

We encourage you to provide feedback, comments, and suggestions so that we can improve the documentation to better meet your needs. Send your comments to techpubs-comments@juniper.net, or fill out the documentation feedback form at

<http://www.juniper.net/techpubs/docbug/docbugreport.html>

If you are using e-mail, be sure to include the following information with your comments:

Along with your comments, be sure to indicate:

- Document name
- Document part number
- Page number
- Software release version

Requesting Support

For technical support, open a support case using the Case Manager link at

<http://www.juniper.net/support/>

or call 1-888-314-JTAC (from the United States, Canada, or Mexico) or 1-408-745-9500 (from elsewhere).

Index

Index Key

DirX – DirX Directory Server
 Merit – Merit AAA 4.22E
 OID – Oracle Internet Directory
 RAD – RAD-Series AAA RADIUS Server
 SPE – Steel-Belted Radius/SPE
 Sun – Sun ONE Directory Server

Symbols

! regular expression operator CLI-71, GS-177
 \$ regular expression operator CLI-71, GS-177
 () regular expression operator CLI-71, GS-177
 * in completion list CLI-25
 * regular expression operator GS-177
 + in completion list CLI-25
 + regular expression operator GS-177
 + * in completion list CLI-25
 . regular expression operator GS-177
 > in completion list CLI-25
 [] regular expression operator CLI-71, GS-177
 ^ regular expression operator CLI-71, GS-177
 | (pipe) filter for command output CLI-70

A

aaaCheck, RAD IG-95
 aaaDeny, RAD IG-88, IG-95
 aaaReply, RAD IG-88, IG-95
 access control information
 DirX directory server IG-54
 eTrust Directory IG-34
 Oracle Internet Directory IG-40, IG-43
 Sun ONE Directory Server IG-47
 access control scheme
 activating access
 operator IG-76
 subscription operator IG-76
 binding IG-69
 cachedAuthentication profile IG-70
 common access rights IG-77
 directories IG-68
 directory entries IG-67
 directory-specific IG-78
 DirX directory server IG-78
 lock subtree IG-73
 mutex group objects IG-74
 network subtree IG-74
 parameter subtree IG-72
 permissions IG-68

policy subtree IG-72
 RADIUS profile IG-71
 service, policy, and global parameter objects IG-75
 sspServiceProfile IG-70
 substitution access IG-77
 Sun ONE Directory Server IG-79
 system management IG-73
 UmcConfiguration IG-70
 umcRadius Person IG-71
 umcUser IG-71
 user class IG-68
 user subtree IG-75
 access DNS NG-225
 access lines SS-5, SS-12
 description SS-4, SS-5, SS-11
 access policy, examples SP-367, SP-379
 DHCP
 Policy Editor SP-380
 SRC CLI SP-368
 PPP
 Policy Editor SP-382
 SRC CLI SP-370
 access privilege levels
 permission options GS-172
 user accounts GS-184
 access services SP-34
 adding
 Policy Editor SP-35
 configuring subscriptions
 SDX Admin SS-233
 access subscribers SS-10
 configuring, SDX Admin SS-208
 accesses
 configuring subscriptions
 SRC CLI SS-196
 accounting
 applications GS-4
 basic RADIUS accounting plug-in SS-140
 custom RADIUS accounting plug-ins SS-140
 description GS-6
 flat file accounting plug-ins SS-140
 flexible RADIUS accounting plug-ins SS-140
 SAE, description NG-10
 accounting log file, RAD IG-96
 aci attribute (Sun) IG-47
 ACP. *See* SRC-ACP

- action congestion points NG-275
 - configuring NG-311, NG-383
 - monitoring
 - C-Web interface NG-344
 - SRC CLI NG-331
- action threshold, service schedules
 - overview SP-94
 - setting
 - SRC CLI SP-102
- actions. *See* policy actions
- active configuration CLI-4
- Adaptive Services PIC SP-142
 - See also* JUNOS ASP policy rules
- add-on packages
 - description GS-269
 - directory types GS-16
 - DirX directory server IG-54
 - eTrust Directory IG-33
 - migration GS-330
 - Oracle Internet Directory IG-40
 - Sun ONE Directory Server IG-46–IG-47
- address pools
 - assigned IP subscribers
 - configuring SG-99, SG-112
- address pools. *See* IP address pools NG-49, NG-73, SG-65
- admin command GS-277
- admin permission GS-172
- admin-control permission GS-172
- administrative users GS-258
- admintool command AL-6, GS-274, GS-278
- Admission Control Plug-In. *See* SRC-ACP
- Advanced Services Gateway. *See* SRC-SG
- agents, *See* NIC agents
- aggregate services SP-4, SP-47, SP-59–SP-70
 - adding
 - SDX Admin SP-64
 - SRC CLI SP-15
 - before you configure
 - SDX Admin SP-63
 - SRC CLI SP-14
 - fragment services SP-10, SP-59
 - infrastructure services SP-19, SP-70
 - mandatory services SP-10, SP-60
 - Python expressions SP-17, SP-69
 - redundancy SP-11, SP-60
 - sessions SP-11
 - activation SP-11, SP-60
 - deactivation SP-12, SP-61
 - monitoring SP-12, SP-61
 - timers, configuring
 - SRC CLI SP-18
- all permission GS-172
- allocating bandwidth to applications not controlled by
 - SRC-ACP NG-277
- announcements at system login GS-189
- APIs
 - Dynamic Service Activator AL-43–AL-53
 - SRC-ACP NG-281
- APIs (application programming interfaces)
 - CORBA plug-in SPI GS-26
 - CORBA remote API GS-26, NG-9
 - description GS-8
 - documentation GS-339
 - NIC NG-217
 - provided with SAE NG-8
 - SAE core API GS-27, NG-8
- application manager
 - role, in PCMM environment SG-36
- application programming interfaces. *See* APIs
- application protocols, managing SS-379–SS-384
- application-level tracking and QoS control. *See* DPI
- applications
 - executing with SRC-ACP NG-275
 - external for use with SRC-ACP NG-275, NG-278
- apply-groups statement, JUNOS routing platforms SP-210, SP-282
- architecture
 - enterprise service portal SS-327
 - SRC software GS-3
- arguments for scripts and methods AL-14
- ASG (Advanced Services Gateway). *See* SRC-SG
- assigned IP subscribers
 - PCMM network SG-46, SG-65, SG-71
 - address pools SG-99, SG-112
 - IP address pools SG-46
 - setting timeouts SG-34
 - third-party devices IG-6
 - IP address pools IG-6
 - voice over IP SG-33
- assigning
 - edge congestion points to
 - subscribers NG-308, NG-380
 - interfaces to backbone congestion points NG-313, NG-388
 - interfaces to subscribers NG-308, NG-380
- ATM access network, using with SRC-ACP NG-275
- attacks
 - pending service activation, managing AL-89
 - pending service deactivation, managing AL-91
 - requiring action, managing AL-88
 - with activated services, managing AL-93
- attribute value pairs, RAD IG-88
- attributes
 - AAA, RAD IG-95
 - JUNOS-specific, RAD IG-91, IG-95, IG-96
 - LDAP IG-30
 - subscriptions, for AL-49
 - See also* LDAP schema
- authenticating gateway clients AL-24
- authentication
 - configuration example GS-199
 - multiple methods GS-194
 - NTP authentication keys GS-122
 - RADIUS
 - configuring GS-191
 - configuring with SRC CLI GS-192
 - example GS-199

- shared user accountsGS-198, GS-199
 - TACACS +, configuringGS-191
 - TACACS +, configuring with SRC CLIGS-193
 - template accounts
 - configuring local user with SRC CLIGS-199
 - configuring remote users with SRC CLIGS-198
 - namedGS-198
 - overviewGS-197
 - See also* user accounts
 - authentication order
 - configuring with SRC CLIGS-195, GS-196
 - overviewGS-194
 - removing authentication method
 - with SRC CLIGS-197
 - authentication plug-ins
 - configuring
 - SRC CLISS-151
 - typesSS-122
 - authentication/authorization transfer
 - vectors (AATVs), RADIG-87
 - authfile file, RADIG-92
 - authorization plug-ins
 - configuring
 - SRC CLISS-151
 - typesSS-122
 - authorizing and tracking servicesNG-278
- B**
- B2B environmentsAL-13
 - backbone congestion pointsNG-292, NG-359
 - configuringNG-311, NG-313, NG-383, NG-387
 - configuring for servicesNG-312, NG-386
 - defining applications inNG-275
 - derivingNG-277
 - DNs ofNG-277
 - monitoring
 - C-Web interfaceNG-342
 - SRC CLING-330
 - running applications fromNG-311, NG-383
 - backbone networkNG-273, NG-310, NG-382
 - backbone network management with SRC-ACP
 - configuringNG-310, NG-382
 - backbone network with SRC-ACP
 - managingNG-310
 - background bandwidthNG-277
 - backing up
 - DirX directoryIG-60
 - Sun ONE directoryIG-50
 - backup directoryGS-233
 - bandwidth
 - allocating to applications not controlled by
 - SRC-ACPNG-277
 - backgroundNG-277
 - configuring
 - for servicesNG-309, NG-312, NG-381, NG-386
 - for subscribersNG-307, NG-378
 - downstreamNG-274
 - upstreamNG-274
 - bandwidth on demand. *See* BoD
 - bandwidths and congestion points for subscribers
 - configuringNG-307, NG-378
 - base-dn, configuringGS-237
 - basic RADIUS accounting plug-inSS-140
 - configuring
 - SRC CLISS-144
 - basic RADIUS authentication plug-inSS-151
 - configuring
 - SRC CLISS-153
 - BEEP TLS connectionsGS-201
 - BEEP, JUNOS routing platformsNG-4
 - configuring port
 - SRC CLING-94
 - connectionNG-90, NG-116
 - binary directory, RADIG-86
 - binding
 - access controlIG-69
 - Blocks Extensible Exchange Protocol. *See* BEEP
 - BoD (bandwidth on demand)
 - servicesSS-276, SS-288–SS-296
 - subscriptionsSS-362–SS-408
 - boot server, NTPGS-118
 - broadcast
 - synchronizing NTPGS-124
 - business partner responsibilities
 - Dynamic Service ActivatorAL-18
 - business partnersAL-14
 - business-to-business environmentsAL-13
- C**
- C2000 ControllerGS-3
 - C4000 ControllerGS-3
 - cable modem termination system. *See* CMTS devices
 - cacerts files, LDAPSIG-63
 - cachedAuthentication and access controlsIG-70
 - callback interfaceSS-321
 - candidate configurationCLI-4
 - captive portal
 - preventing access to resourcesSS-245
 - CDs
 - SRC software CDAL-3
 - CDs for SRC software distributionGS-258
 - certificate authority (CA)NG-96, NG-124
 - certificate files, LDAPSIG-63
 - class of service. *See* CoS
 - Class, RADIG-96
 - classification scripts
 - conditionsSS-56
 - glob matchingSS-60
 - joiningSS-60
 - regular expression matchingSS-61
 - configuring
 - SDX AdminSS-90
 - SRC CLISS-58
 - congestion point classification
 - configuringNG-316
 - criteriaNG-316, NG-318
 - descriptionNG-315

how it works	NG-315	target, Solaris platform	
targets	NG-315, NG-318	definition	SS-88
criteria		expressions	SS-90
definition	SS-88	types	SS-90
glob matching	SS-91	classify-traffic condition	SP-152
joining	SS-91	application protocol	
regular expression matching	SS-92	defining, Policy Editor	SP-311
descriptions	SS-55, SS-87	defining, SRC CLI	SP-241
DHCP classification, C-series Controller		map expressions, Policy Editor	SP-312
conditions	SS-79	map expressions, SRC CLI	SP-244
configuring, SRC CLI	SS-77	configuring	
description	SS-56	Policy Editor	SP-295–SP-318
targets	SS-80	SRC CLI	SP-216–SP-245
DHCP classification, Solaris platform		destination grouped network, configuring	
configuring	SS-109	Policy Editor	SP-300
criteria	SS-111	SRC CLI	SP-224
description	SS-88	destination network, configuring	
targets	SS-112	Policy Editor	SP-300
interface classification, C-series controller		SRC CLI	SP-223
conditions	SS-63	expanded classifiers	SP-153
configuring, SRC CLI	SS-61	configuring	SG-164, SG-183
description	SS-55	configuring, SRC CLI	SP-218
examples	SS-65	extended classifiers	SP-160
how it works	SS-56	configuring, Policy Editor	SP-296
targets	SS-65	configuring, SRC CLI	SP-218
interface classification, Solaris platform		ICMP conditions, setting	
configuring	SS-96	Policy Editor	SP-307
criteria	SS-96	SRC CLI	SP-235
description	SS-87	IGMP conditions, setting	
examples	SS-99	Policy Editor	SP-307
how it works	SS-88	SRC CLI	SP-237
targets	SS-98	IP protocol, setting	
structure		Policy Editor	SP-304
SDX Admin	SS-90	IPSec conditions, setting	
SRC CLI	SS-58	Policy Editor	SP-307
subscriber classification, C-series controller		SRC CLI	SP-238
condition	SS-70	JUNOS filter conditions, setting	
configuring, SRC CLI	SS-67	Policy Editor	SP-309
description	SS-56	SRC CLI	SP-240
DHCP options	SS-73	match direction, setting	
enterprise subscriber example	SS-76	Policy Editor	SP-299
how it works	SS-57	SRC CLI	SP-220
static IP subscriber example	SS-75	multiple classifiers	SP-153
subscriber group example	SS-75	network protocol, setting	
targets	SS-74	Policy Editor	SP-299
subscriber classification, Solaris platform		packet length, setting	
configuring	SS-100	Policy Editor	SP-303
criteria	SS-101	SRC CLI	SP-225
description	SS-88	PCMM I02 and I03	SP-160
DHCP options	SS-104	configuring, Policy Editor	SP-296
enterprise subscriber example	SS-107	configuring, SRC CLI	SP-218
how it works	SS-89	port definitions, overview	
static IP subscriber example	SS-106	Policy Editor	SP-296
subscriber group example	SS-107	SRC CLI	SP-219
targets	SS-106	protocol conditions with parameters, setting	
wholesaler/retailer example	SS-108	SRC CLI	SP-229
target, C-series controller		protocol conditions with ports, setting	
definition	SS-56	SRC CLI	SP-226
expressions	SS-59		
types	SS-59		

- protocol conditions, setting
 - SRC CLI SP-225
- source grouped network, configuring
 - Policy Editor SP-300
 - SRC CLI SP-222
- source network, configuring
 - Policy Editor SP-300
- source network, setting
 - SRC CLI SP-221
- TCP conditions, setting
 - Policy Editor SP-307
 - SRC CLI SP-233
- ToS byte conditions, setting
 - Policy Editor SP-306
 - SRC CLI SP-239
- clear permission GS-172
- clearing SOAP messages AL-42
- CLI
 - command hierarchy CLI-5
 - command history CLI-29
 - command mode CLI-4
 - configuration mode
 - command completion CLI-34
 - commands CLI-52
 - entering CLI-55
 - exiting CLI-55
 - hierarchy CLI-28, CLI-54
 - navigation commands CLI-28
 - overview CLI-4, CLI-51
 - running operational mode commands CLI-27
 - statement description CLI-53
 - symbols in statement lists CLI-25, CLI-60
 - verifying configurations CLI-65
 - editing level CLI-82
 - environment settings CLI-85
 - help CLI-8, CLI-31, CLI-32
 - interface elements CLI-19
 - keyboard sequences CLI-23, CLI-77
 - messages CLI-20
 - modes
 - changing CLI-26, CLI-27
 - overview CLI-4
 - operating systems CLI-3
 - overview CLI-3, CLI-6
 - password CLI-84
 - platform-specific components CLI-29
 - prerequisites CLI-7
 - privilege levels CLI-26
 - prompt strings CLI-84
 - starting CLI-8
 - tutorial CLI-7
 - working directory CLI-85
- client mode, NTP GS-119
- client type 1, PCMM SG-38
- client type 2, PCMM SG-39
- clients
 - gateway AL-32
 - adding to directory AL-28
 - authenticating AL-24
 - developing AL-43–AL-53
 - managing AL-43–AL-53
 - testing AL-36–AL-42
 - SRC SOAP Gateway AL-13
- CMTS devices
 - adding objects to directory
 - SDX Admin SG-67
 - SRC CLI SG-63
 - adding virtual router objects to directory
 - SDX Admin SG-69
 - SRC CLI SG-64
 - configuration statements SG-63, SG-64
 - role SG-36
- CMTS locator
 - monitoring
 - C-Web interface SG-129
 - SRC CLI SG-121
- CoA script services, configuring SG-143
- color actions SP-154
 - configuring
 - Policy Editor SP-320
 - SRC CLI SP-246
- command output
 - MORE prompt CLI-22
 - number of lines CLI-72
 - pagination CLI-75
 - saving to a file CLI-75
 - XML format, displaying CLI-72
 - See also* regular expressions
- commands
 - access to GS-176
 - categories CLI-39
 - completion CLI-34, CLI-85
 - configuration mode CLI-52
 - filenames in CLI-44
 - keytool IG-63
 - operational mode CLI-40
 - options CLI-24
 - types CLI-23
 - URLs in CLI-44
- commit check command CLI-65
- commit command CLI-52, CLI-66
- commit-and-quit command CLI-27, CLI-66
- Common Information Model (CIM) IG-25
- Common Object Request Broker Architecture. *See* CORBA
- Common Open Policy Service. *See* COPS
- community manager
 - configuring, third-party devices
 - SRC CLI IG-12
- component interactions
 - DHCP
 - initial login SS-23
 - persistent login SS-26
 - subscriber account login SS-25
 - subscriber logout SS-28
 - enterprise subscribers
 - login SS-32
 - remote session activation SS-38
- JUNOS routing platforms and SAE NG-4

- PPP
 - login SS-19
 - logout SS-21
 - static IP subscribers SS-29
 - subscription activation SS-34
 - subscription deactivation SS-36
- component software
 - installing GS-165, GS-275, GS-276
 - upgrading GS-165
- compress command GS-278
- config command GS-345
- configuration
 - backup CLI-88
 - changes by multiple users CLI-67
 - committing CLI-27, CLI-66
 - default CLI-96
 - deleting statements CLI-61
 - displaying current configuration CLI-57
 - example CLI-54
 - loading CLI-89, CLI-93, CLI-101
 - local CLI-87
 - merge CLI-96
 - modifying CLI-56
 - replacement CLI-98, CLI-99
 - rollback CLI-17, CLI-102
 - slot CLI-87
 - statements. *See* configuration statements
 - storage CLI-87
 - verifying CLI-65
- configuration directory, RAD IG-86
- configuration files
 - attributes CLI-90
 - overview CLI-89
 - preparation to load CLI-94
 - text format CLI-93
 - XML format CLI-90
- configuration group, JUNOS routing platforms NG-90, NG-108, NG-116, NG-135
- configuration hierarchy CLI-5
- configuration level in Enterprise Manager Portal SS-354
- configuration manager, instantiating for NIC NG-218
- configuration mode. *See* CLI CLI-28
- configuration namespace AL-15
- configuration statements
 - access to GS-176
 - deleting CLI-61
 - overview CLI-24, CLI-60
 - symbols in statements CLI-25
- configuration tool. *See* local configuration tool
- configure command CLI-55
- configure permission GS-172
- configuring. *See specific feature or product*
- congestion point applications
 - SPI for ACP NG-310, NG-382
- congestion point classification NG-276
- congestion point classification scripts. *See* classification scripts
- congestion point expressions NG-322, NG-389
- congestion point profiles NG-276
 - changing NG-393
- congestion point expressions NG-322, NG-389
 - defining NG-321, NG-388
 - removing NG-393
- congestion points NG-274
 - configuring NG-307, NG-378
 - defining applications in NG-275
 - deriving NG-275
 - deriving from profile NG-276
 - managing NG-277
 - modifying NG-326
 - monitoring NG-334
 - retrieving information about NG-278
- congestionPoints attribute NG-386
- consolidated installation
 - redundancy schemes GS-253
- consolidated installation on Solaris platforms
 - component distribution scenario. *See* deployment scenarios
- content rules IG-31
- control permission GS-173
- controlled load service, FlowSpec SP-162
- COPS (Common Open Policy Service)
 - connection with JUNOS routers NG-46, NG-68, NG-76
 - configuring SAE, SRC CLI NG-50
 - disabling on router NG-59, NG-86
 - enabling on router NG-58, NG-85
- COPS-PR versus COPS XDR NG-4
- DHCP interactions
 - initial login SS-24
 - logout SS-28
 - persistent login SS-27
 - subscriber account login SS-25
- interface startup interactions SS-22
- JUNOS router connection NG-4
- PPP interactions
 - login SS-20
 - logout SS-21
- static IP subscriber interactions SS-29
- subscription activation interactions SS-36
- subscription deactivation interactions SS-37
- CORBA (Common Object Request Broker Architecture)
 - IOR location NG-206
 - naming server for NIC NG-157
- plug-in interface
 - enterprise service portal SS-328–SS-329
- reference for SAE
 - JUNOS NG-122
 - JUNOS NG-74
 - PCMM SG-72
 - remote API NG-9
- CORBA interfaces
 - SRC-ACP NG-280, NG-299, NG-366
- CORBA-based plug-in SPI. *See* plug-ins, external
- CoS (class of service) SP-141
 - ToS byte, setting
 - Policy Editor SP-306
 - SRC CLI SP-239
- count filter CLI-72

- C-series Controllers
 - boot messages, viewing
 - C-Web interface MT-97
 - SRC CLI MT-89
 - configuration prerequisites GS-43
 - deployment considerations GS-40
 - description GS-3
 - directories CLI-41
 - files CLI-41
 - initial configuration GS-45
 - installing component software GS-165
 - interface information MT-183
 - interfaces GS-72
 - monitoring
 - C-Web interface MT-93
 - SRC CLI MT-87
 - removing component software GS-165
 - restoring software snapshot GS-165
 - software packages GS-161
 - software snapshot GS-162
 - SRC components GS-39
 - static routes GS-77
 - system date, viewing MT-95
 - system information, viewing
 - C-Web interface MT-94
 - SRC CLI MT-87
 - upgrading software GS-162, GS-163, GS-165
- cursor, moving CLI-77
- custom RADIUS accounting plug-ins SS-140
 - configuring
 - SRC CLI SS-148
- custom RADIUS authentication plug-ins SG-23, SS-151
 - configuring
 - SRC CLI SS-157
- customized interface modules NG-9
- C-Web interface
 - committing a configuration GS-66
 - configuration options GS-65
 - configuring
 - HTTP access GS-60, GS-62
 - HTTPS access GS-60, GS-61
 - logging properties GS-68
 - deleting an object GS-67
 - editing level GS-63
 - elements GS-55
 - getting Help GS-59
 - icons GS-64
 - layout GS-54
 - loading configuration values GS-65
 - logging out GS-69
 - monitoring options MT-84
 - moving an object GS-67
 - navigating GS-54
 - overview GS-17, GS-53
 - password, changing GS-59
 - Policies, Services, and Subscribers
 - password GS-58
 - starting GS-58
 - renaming an object GS-67
 - reverting a configuration GS-66
 - starting GS-58
 - updating configuration data GS-67
 - username, changing GS-59
- D**
 - data directory, RAD IG-86
 - Data over Cable Service Interface Specifications. *See* DOCSIS protocol
 - data security, Policy Editor SP-167
 - Data-over-Cable Service Interface Specifications. *See* DOCSIS
 - datastream format GS-278
 - date on system GS-112
 - DCU (destination class usage) SS-298
 - deep packet inspection. *See* DPI
 - default policies SP-143
 - example
 - Policy Editor SP-379
 - SRC CLI SP-367
 - installing on router SP-144
 - reloading on router SP-145
 - default retailer authentication plug-ins
 - configuring
 - SRC CLI SS-173
 - default retailer DHCP authentication plug-ins
 - configuring
 - SRC CLI SS-173
 - default SRC installation directory GS-274
 - default.properties files GS-295
 - delete command CLI-52, CLI-61
 - deleting
 - gateway clients AL-32
 - scripts AL-32
 - denial-of-service attacks SS-248
 - deployment scenarios
 - C-series Controllers GS-40, GS-41
 - enterprise service portal SS-329
 - Solaris platforms GS-245, GS-246, GS-247, GS-252, GS-254
 - SRC software GS-246
 - deriving congestion points NG-275
 - DES (directory eventing system)
 - general properties GS-312
 - JNDI properties GS-311
 - overview GS-233
 - properties GS-240
 - sample configuration GS-316
 - standard properties GS-311
 - destination class usage SS-298
 - device drivers
 - JUNOS
 - configuring, SRC CLI NG-93
 - viewing state, C-Web interface NG-111
 - viewing state, SRC CLI NG-110
 - viewing statistics, C-Web interface NG-113, NG-114
 - viewing statistics, SRC CLI NG-110, NG-111
 - JUNOSE
 - configuring, SRC CLI NG-50
 - viewing state, C-Web interface NG-63

- viewing state, SRC CLI NG-61
- viewing statistics, C-Web interface NG-64, NG-65
- viewing statistics, SRC CLI NG-62
- simulated, configuring MT-27
 - SRC CLI MT-27, MT-31
- simulated, configuring with C-Web interface MT-31
- viewing on SAE
 - C-Web interface MT-130
 - SRC CLI MT-106
- DHCP (Dynamic Host Configuration Protocol)
 - access policy example
 - Policy Editor SP-380
 - SRC CLI SP-368
 - address assignment SS-124
 - classification scripts. *See* classification scripts
 - options SS-81, SS-113
 - profiles SS-116
 - SRC CLI SS-84
 - subscribers
 - login process SS-22–SS-27
 - logout process SS-28
- dictionary files with JUNOS parameters, RAD IG-91
- differentiated QoS GS-7
- Differentiated Services code point, ToS byte
 - Policy Editor SP-306
 - SRC CLI SP-239
- digital certificates. *See* security
- directories on C-series Controller CLI-41
- directories, partitioning NG-374
- directory
 - access control scheme IG-67–IG-80
 - access rights IG-23
 - client GS-15
 - configuring
 - redundancy GS-233
 - type GS-317
 - default SRC installation GS-274
 - deleting entries GS-317
 - description GS-10
 - enterprise service portal SS-328
 - eventing and failover, description GS-17
 - exception handling, Policy Editor SP-166
 - failover GS-233
 - finding new entries GS-317
 - LDAP version 3 compatibility GS-16
 - managing problems GS-234
 - prepackaged integration GS-16
 - primary GS-233
 - provisioning IG-57
 - RADIUS GS-28
 - redundancy IG-22
 - retrieving changed data GS-233
 - schema IG-25–IG-31
 - secondary (backup) GS-233
 - services for SRC-ACP NG-303, NG-371
 - subscribers for SRC-ACP NG-302, NG-369
 - supported directory servers IG-23
 - synchronizing SP-166
 - updates to IG-22
 - See also* LDAP
 - directory blacklist, deleting NG-33, NG-39
 - Directory Connection Parameters GS-299
 - directory connection properties GS-239
 - directory eventing properties NG-374
 - directory eventing system. *See* DES
 - Directory Information Shadowing Protocol GS-248
 - directory migration
 - cloning the directory server GS-331
 - DirX GS-331
 - Sun ONE GS-332
 - completion
 - DirX GS-335
 - Sun ONE GS-335
 - configuration file GS-333
 - DirX slave directories GS-328
 - host preparation GS-330
 - installing directory packages GS-330, GS-333
 - script GS-326, GS-334
 - shadowed environment
 - DirX GS-328
 - managing GS-328
 - Sun ONE GS-329
 - updating the host GS-336
 - directory server
 - cloning GS-331
 - deployment with remote SAE SS-329
 - supported GS-262
 - third-party GS-17
 - See also* DirX directory server; eTrust Directory; Oracle Internet Directory; Sun ONE Directory Server
 - Directory Service Protocol GS-248
 - directory shadows GS-248
 - DirX directory server
 - access control scheme IG-78
 - add-on package GS-16, IG-54
 - backing up directory IG-60
 - cloning the directory server GS-331
 - deployment with remote SAE SS-329
 - directory user IG-55
 - dirx user environment IG-58, IG-59
 - installing IG-56
 - integrating with SRC software IG-54–IG-57
 - integration GS-16
 - loading sample data IG-57
 - obtaining IG-55
 - restoring directory database IG-60
 - slave directories, migrating GS-328
 - standards IG-54
 - starting IG-58, IG-59
 - stopping IG-59
 - superuser environment IG-59
 - uninstalling IG-58
 - dirxadm (DirX) GS-328
 - DirXmetahub IG-54, IG-57
 - disable command CLI-105
 - DISP (Directory Information Shadowing Protocol) GS-248
 - distinguished name. *See* DN

- distributed installation
 - reliability GS-249
 - scalability GS-249
 - simplified management and security GS-249
- distributed installation on Solaris platforms GS-247
- DIT (Directory Information Tree)
 - content rules IG-31
 - structure rules IG-31
- dml1 Chassis object class IG-29
- DN (distinguished name)
 - backbone congestion points NG-277
 - edge congestion points NG-275
 - NIC resolution NG-225
- DOCSIS policy actions SP-154
 - configuring
 - Policy Editor SP-321
 - SRC CLI SP-247
- DOCSIS protocol SG-37
- domain maps
 - reloading on SAE NG-33, NG-39
- domain name parsing
 - configuring, property file SS-53
- domains
 - IP service edge SG-41
 - IP subscriber edge SG-41
 - radio frequency SG-41
- downstream bandwidth NG-274
- downstreamBackgroundRate attribute NG-376
- downstreamProvisionedRate attribute NG-376, NG-378
- downstreamSyncRate attribute NG-378
- DPI (deep packet inspection)
 - AOL subscriptions, activating AL-114
 - benefits AL-102
 - collecting accounting data AL-105
 - size limit, setting AL-113
 - configuring
 - Ellacoya DPI platform AL-116–AL-118
 - IPSCS, provisioning AL-117
 - parameters AL-112
 - script services AL-108–AL-114
 - service logic engine (SLE) AL-118
 - SLE server, IP address or hostname AL-113
 - SRC software AL-108–AL-116
 - subscriber prefix AL-114
 - subscriptions AL-116
 - virtual router AL-114
 - Ellacoya Networks DPI components AL-103
 - e30 Switch AL-103
 - IP Service Control System (IPSCS) AL-103
 - Remote Method Invocation (RMI)
 - protocol AL-103
 - service logic engine (SLE) AL-103
 - integration overview AL-103
 - loading sample data AL-107
 - overview AL-101
 - script service AL-103
 - JAR files AL-111
 - service activation and deactivation AL-106
- service bundles AL-104
 - domain AL-113
 - provisioning AL-117
- service offers AL-104
 - provisioning AL-117
- subscriber login and logout AL-106
- subscriber/IP address binding AL-105
- subscriber/service offer binding AL-105
- subscribers
 - authentication username AL-113
 - identifying AL-113
 - password AL-113
- synchronization
 - SRC software and Ellacoya system AL-105
 - system clocks AL-118
 - traffic-accounting profiles (TAPs) AL-104, AL-117
 - UQMS (Usage Quota Management System) AL-103
- draft RFCs GS-374
- drop profile maps
 - configuring
 - Policy Editor SP-355
 - SRC CLI SP-272
 - drop probability, setting
 - Policy Editor SP-356
 - SRC CLI SP-272
 - fill level, setting
 - Policy Editor SP-356
 - SRC CLI SP-272
- DSCP (Differentiated Services code point), ToS byte
 - Policy Editor SP-306
 - SRC CLI SP-239
- DSP (Directory Service Protocol) GS-248
- dtterm command GS-267
- duplicate entries in SDX Admin GS-362
- dynamic properties AL-14
- dynamic RADIUS authorization requests
 - RADIUS packets, defining SG-141, SG-148
- Dynamic Service Activator
 - adding scripts and clients to directory AL-28
 - API AL-43–AL-53
 - configuring
 - access to methods and scripts AL-26, AL-28
 - connections to directory AL-22
 - general properties AL-25
 - logging properties AL-25, AL-32
 - properties for clients and scripts AL-29
 - gateway client for PCs AL-39–AL-42
 - gateway extension
 - description AL-14
 - installing AL-22
 - Mbeans AL-35
 - methods AL-43
 - monitoring AL-34–AL-35
 - overview AL-17–AL-20
 - redundancy AL-20
 - sample data AL-32
 - SOAP fault codes AL-50
 - testing AL-36–AL-42
 - Web application gateway client AL-36–AL-39
- dynamic Web pages GS-7

E

- edge congestion points
 - assigning to subscribersNG-308, NG-380
 - deriving..... NG-275
 - DNs of..... NG-275
 - monitoring
 - C-Web interface NG-339
 - SRC CLI NG-328
- edge networkNG-273, NG-306, NG-376
- edge network management, configuringNG-306, NG-376
- edit command..... CLI-52, CLI-56
- effective period, service schedules..... SP-96
- Ellacoya Networks, deep platform inspection. *See* DPI
- enable command CLI-104
- end-to-end services..... SG-41
- enterprise
 - descriptionSS-4, SS-11
 - hierarchy.....SS-5, SS-12
 - service parameters..... SS-322
 - subscriptions.....SS-5, SS-12
- Enterprise Manager Portal
 - application protocols, managing.....SS-380–SS-384
 - BoD subscriptionsSS-362–SS-408
 - configuration level..... SS-354
 - deployment settings..... SS-337
 - firewall exception rules
 - stateful firewalls..... SS-396
 - stateless firewalls SS-386
 - firewall subscriptions.....SS-384–SS-401
 - fixed addresses for outgoing traffic SS-408
 - help..... SS-353
 - NAT
 - IP addressSS-401, SS-403
 - rules.....SS-404, SS-408
 - rules for traffic SS-405
 - NAT Address Management Portal..... SS-343
 - overviewSS-320, SS-354
 - policies.....SS-275–SS-299
 - public IP addresses, configuring
 - incoming traffic..... SS-406
 - outgoing traffic..... SS-405
 - schedulesSS-355–SS-362
 - servicesSS-275–SS-299
- Enterprise Service Portal audit plug-in SS-344
- enterprise service portals
 - accessing..... SS-326
 - architecture SS-327
 - communication protocols..... SS-328
 - configuring directory connections SS-335
 - data, displaying..... SS-347
 - deploying SS-343
 - description GS-24
 - improving performance SS-321
 - installingSS-334–SS-343
 - locating in SRC software distribution..... SS-319
 - managersSS-348, SS-351
 - operators, managing SS-351
 - overview SS-317
 - performance SS-321
 - planning..... SS-330
 - prerequisites..... SS-325, SS-333, SS-347, SS-413, SS-427
 - server description..... SS-328
 - value substitution SS-324
 - value substitution for policy parameters SS-324
 - See also* Enterprise Manager Portal
- enterprise subscribers..... SS-3, SS-9
 - adding
 - SDX Admin SS-218
 - SRC CLI SS-187
 - login process SS-32
- enterprise tag library SS-318, SS-319
- environment settings, CLI CLI-85
 - command completion CLI-85
 - editing level..... CLI-82
 - prompt string CLI-84
 - screen dimensions CLI-83, CLI-84
 - terminal language..... CLI-83
 - terminal type..... CLI-83
 - working directory CLI-85
- equipment registration
 - deleting NG-34, NG-40
 - viewing on SAE
 - C-Web interface MT-132
 - SRC CLI MT-110
- error codes
 - gateway client for PCsAL-42
- ERX VSA SP-41, SP-45
- eTrust Directory
 - add-on package GS-16, IG-33
 - installing..... IG-35
 - integrating with SRC software IG-35
 - Juniper SDX eTrust Directory
 - displaying status..... IG-37
 - starting..... IG-36
 - stopping IG-37
 - load script IG-33, IG-36
 - loading sample data IG-36
 - setup.sh script IG-34, IG-35
- event messages. *See* logging MT-7
- event notification, PCMM network
 - configuration statements.....SG-57
 - descriptionSG-47
 - properties, configuring
 - SRC CLISG-57
- event notification, third-party devices
 - configuring properties
 - SRC CLI IG-14
 - description IG-7
- event publishers
 - configuring
 - property file SS-135
 - SRC CLI SS-172
- default retailer authentication, configuring
 - SRC CLI SS-173
- default retailer DHCP authentication, configuring
 - SRC CLI SS-173
- description SS-122
- retailer-specific SS-175
- service-specific SS-175
- virtual router-specific SS-175

- events, IT manager audit SS-344
 - events, publishing NG-292, NG-359
 - except filter CLI-73
 - exclusions to service schedule SP-98
 - defining
 - SDX Admin SP-120, SP-122
 - SRC CLI SP-105
 - exit command CLI-27, CLI-52
 - expanded classifiers..... SP-153
 - configuring SG-164, SG-183
 - SRC CLI SP-218
 - expressions
 - map, application protocol conditions
 - Policy Editor SP-312
 - SRC CLI SP-244
 - parameter definitions SP-404–SP-410
 - extended classifiers, PCMM SP-160
 - configuring
 - Policy Editor SP-296
 - SRC CLI SP-218
 - external applications
 - displaying information from NG-333
 - interaction with NIC NG-216
 - monitoring
 - C-Web interface NG-348
 - external plug-ins
 - configuring
 - SRC CLI SS-130
 - configuring SRC-ACP as NG-273
 - extranet clients
 - adding to VPNs
 - Enterprise Manager portal SS-311
 - LDAP clients SS-311
 - SDX Admin SS-311
 - removing from VPNs SS-313
- F**
- failover directories GS-233
 - failover parameters, SAE NG-35, NG-41
 - fault recovery, SRC-ACP NG-280
 - feature sets AL-5
 - feature sets for installation GS-276
 - field permission GS-173
 - file commands CLI-41
 - file format translation GS-278
 - file system format GS-278
 - file transfer, verifying GS-278
 - files
 - ACP data NG-296, NG-362
 - ipnat.conf SS-264
 - saving command output to CLI-75
 - specifying names in commands CLI-44
 - filter actions SP-154
 - configuring
 - Policy Editor SP-325
 - SRC CLI SP-251
 - filtered traffic statistics MT-177, MT-180
 - find filter CLI-73
 - firewall filter SP-142
 - firewall permission GS-173
 - firewall ports for SRC-related components AL-9, GS-284
 - firewall services
 - configuring SS-277, SS-280
 - description SS-384
 - managing in Enterprise Manager
 - Portal SS-384–SS-401
 - policies for SS-279
 - router support SS-276
 - firewall-control permission GS-173
 - flat file accounting plug-ins SS-140
 - configuring
 - SRC CLI SS-141
 - configuring headers
 - SRC CLI SS-142
 - flexible RADIUS accounting plug-ins SS-140
 - attributes, defining
 - SRC CLI SS-163
 - configuring SS-146
 - RADIUS packets, defining SS-163
 - SDX Admin SS-134
 - flexible RADIUS authentication plug-ins SS-151
 - attributes, defining
 - examples SS-170
 - SRC CLI SS-163
 - configuring SG-23
 - SRC CLI SS-155
 - RADIUS packets, defining
 - SDX Admin SS-134
 - SRC CLI SS-163
 - setting responses
 - SRC CLI SS-171
 - FlowSpec actions SP-154
 - configuring
 - Policy Editor SP-326
 - SRC CLI SP-252
 - folders
 - default SRC installation GS-274
 - SDX Admin GS-355
 - folders for installed software AL-5
 - format translation, file GS-278
 - forward actions SP-154
 - configuring
 - Policy Editor SP-329
 - SRC CLI SP-254
 - forwarding class actions SP-154
 - configuring
 - Policy Editor SP-330
 - SRC CLI SP-254
 - forwarding preferences SS-293, SS-295
 - fragment services SP-10, SP-59
 - configuring
 - SDX Admin SP-66
 - SRC CLI SP-15
- G**
- GalMgmt MBean AL-34
 - GalOpMgmt MBean AL-35
 - gates, PCMM SP-159

- gateSpec actions SP-154
 - configuring
 - Policy Editor SP-331
 - SRC CLI SP-255
 - gateway
 - connecting to AL-37
 - SRC AL-13–AL-14
 - gateway client for PCs
 - configuring AL-41
 - gateway extension AL-14
 - general properties
 - configuring
 - SRC CLI SS-252
 - generate.sh script (DirX) IG-57
 - Gigabit Ethernet interfaces, configuring IPv4 GS-72
 - Gigabit Ethernet interfaces, configuring IPv6 GS-73
 - global parameter objects and access control scheme IG-75
 - global parameters SP-189
 - configuring
 - Policy Editor SP-203
 - predefined SP-196
 - runtime SP-196
 - summary table SP-202
 - types SP-190
 - viewing in Policy Editor SP-201
 - graphical installation mode GS-269
 - GRE tunnel interfaces GS-74
 - groups, NIC hosts NG-151
 - guaranteed service, FlowSpec SP-162
 - gzip command GS-278
- H**
- hard-disk space requirements, RAD IG-86
 - help command CLI-52
 - hierarchy for scripts and clients AL-21
 - history command CLI-52
 - history, CLI commands CLI-29
 - hosted internal plug-in NG-292, NG-359
 - hosted plug-ins. *See* plug-ins
 - hostid command GS-84
 - hosts
 - transferring software packages GS-278
 - HTTP proxy SS-245, SS-247
 - HTTPS connections GS-201
- I**
- identifiers
 - inserting in sequential lists CLI-63
 - renaming CLI-63
 - identifying subscribers AL-47
 - idle timeout values, login classes GS-178
 - Idle-Timeout IG-96
 - IDP (Intrusion Detection and Prevention)
 - integration applications GS-30
 - ifconfig command SS-265
 - infrastructure services SP-4, SP-19, SP-20, SP-47, SP-70–SP-71
 - initialize.cp flat file (DirX) IG-54
 - insert command CLI-52, CLI-63
 - installation
 - software CD (SPE) IG-83
 - uninstallation GS-279
 - installation on Solaris platforms
 - components GS-275, GS-276
 - designating nonroot users GS-276
 - feature sets GS-276
 - graphical mode GS-269
 - installation folders GS-274, GS-276
 - installation sets GS-271
 - IP Filter GS-277
 - logging the session GS-267
 - modes GS-269
 - package names for features GS-276
 - packages GS-277
 - patches GS-263
 - procedure GS-267
 - silent mode GS-269
 - starting the installation program GS-274
 - system resource limits GS-276
 - Web applications GS-319
 - installing
 - enterprise service portals SS-334–SS-343
 - Dynamic Service Activator AL-22–AL-23
 - gateway client for PCs AL-40
 - RAD IG-86
 - sample data AL-32
 - Solaris packages AL-6
 - SPE IG-83
 - SRC-ACP AL-5
 - Web application gateway client AL-36
 - Web applications AL-7
 - instlc command GS-102, GS-104, GS-105
 - integrating data into directory IG-24
 - interactions between SRC-ACP and other
 - components NG-278–NG-279
 - interface classification scripts
 - reloading on SAE NG-33, NG-38
 - interface classification scripts. *See* classification scripts
 - interface modules, SAE NG-9
 - interface-control permission GS-173
 - interfaces
 - assigning to backbone congestion points NG-313, NG-388
 - callback SS-321
 - C-series Controllers GS-72
 - Gigabit Ethernet, configuring IPv4 GS-72
 - Gigabit Ethernet, configuring IPv6 GS-73
 - information, viewing
 - C-Web interface MT-186
 - SRC CLI MT-183
 - permission GS-173
 - tunnel, configuring GS-74
 - interim accounting, configuring on SAE SS-43
 - Interlink RAD-Series RADIUS Server GS-28
 - internal plug-ins
 - configuring
 - SRC CLI SS-129
 - internal plug-ins. *See* plug-ins
 - internationalization of SDX Admin GS-363

- interoperable object reference. *See* IOR
 - IOR (interoperable object references)
 - managing SAE
 - JUNOS, SDX Admin NG-122
 - JUNOSe, SDX Admin NG-74
 - PCMM SG-72
 - router initialization scripts NG-54, NG-78, NG-103, NG-129
 - SNMP file locations MT-52
 - IP address pools
 - assigned IP subscribers SG-46
 - assigned IP subscribers, configuring
 - SDX Admin SG-71
 - SRC CLI SG-65
 - local address pools, configuring
 - SDX Admin NG-73, SG-71
 - SRC CLI NG-49, SG-65
 - static pools, configuring
 - SDX Admin NG-74, SG-72
 - SRC CLI NG-49, SG-65
 - syntax SG-71, SG-112
 - updating for JUNOSe VRs NG-80–NG-83
 - poolRepublish NG-81
 - SDX Admin NG-80
 - IP addresses
 - acknowledging release SS-415
 - assigning in NAT Address Management
 - Portal SS-413, SS-414
 - NAT services SS-401, SS-403
 - IP Filter SS-264
 - installation order GS-277
 - installation prerequisite GS-266
 - IP Service Control System (IPSCS). *See* DPI
 - IP service, life-cycle process GS-4
 - ipnat.conf file SS-264
 - IP-over-IP tunnel interfaces GS-74
 - iptables Linux tool
 - monitoring
 - C-Web interface MT-180
 - SRC CLI MT-177
 - IPTV application GS-31
 - IT manager
 - audit plug-in
 - events SS-344
 - operators, managing SS-348, SS-351
 - IVE (Instant Virtual Extranet) Host Checker integration
 - application GS-31
- J**
- J2EE application server GS-35
 - J2SE patches GS-263
 - JacORB, for NIC
 - configuring
 - default ORB for JRE NG-208
 - Web application NG-209
 - Web application server NG-209
 - JRE package NG-207
 - Java development environment, Tomcat SS-427
 - Java garbage collection, running NG-33, NG-39
 - Java Management Extension NG-213
 - Java Naming and Directory Interface. *See* JNDI
 - Java Runtime Environment, NIC proxy NG-207
 - Java Virtual Machine, for NIC proxy NG-207
 - Java Web server
 - application deployment GS-167
 - overview GS-167
 - starting GS-168
 - stopping GS-168
 - java-heap-size, configuring GS-237
 - JBoss
 - installing Web applications AL-8, GS-320, SS-333
 - removing Web applications AL-8, GS-321
 - JMX (Java Management Extension) agent AL-34
 - JMX (Java Management Extension) software NG-213
 - JNDI (Java Naming and Directory Interface) GS-234, GS-311
 - JPS (Juniper Policy Server)
 - application manager-to-policy server interface, configuring SG-87
 - application manager-to-policy server interface, monitoring
 - C-Web interface SG-125, SG-126
 - SRC CLI SG-120
 - architecture SG-78
 - CMTS devices, monitoring
 - C-Web interface SG-128
 - CMTS locator, monitoring
 - C-Web interface SG-129
 - SRC CLI SG-121
 - installing on Solaris platforms SG-105
 - JPS state, monitoring SG-120
 - local configuration, applying on Solaris
 - platforms SG-106
 - logging, configuring SG-86
 - logging, modifying SG-86
 - message flows, monitoring
 - C-Web interface SG-131
 - SRC CLI SG-121
 - message handler, monitoring
 - C-Web interface SG-130
 - SRC CLI SG-121
 - monitoring
 - C-Web interface SG-123
 - Solaris platforms SG-109, SG-117
 - SRC CLI SG-104, SG-119
 - NTP configuration
 - applying on Solaris platforms SG-106
 - modifying local time on Solaris platforms .. SG-107
 - operational status SG-104, SG-109
 - overview SG-77
 - policy server-to-CMTS interface, configuring SG-93
 - policy server-to-CMTS interface, monitoring
 - C-Web interface SG-127, SG-128
 - SRC CLI SG-120
 - policy server-to-RKS interface, configuring SG-89
 - policy server-to-RKS interface, monitoring
 - C-Web interface SG-132
 - SRC CLI SG-120

- server process, monitoring
 - C-Web interface SG-124
 - SRC CLI SG-120
- starting
 - Solaris platforms SG-108
 - SRC CLI SG-103
- stopping
 - Solaris platforms SG-108
 - SRC CLI SG-104
- subscriber address mappings, configuring SG-96
- subscriber configuration, modifying SG-96
- JSP (Java Server Pages) technology
 - Web application server GS-35
- JSP tag library. *See* enterprise tag library
- Juniper Networks database
 - adding Juniper Networks database to community, SRC
 - CLI GS-144
 - changing modes, SRC CLI GS-143
 - community mode configuration, SRC CLI GS-141
 - configuration example GS-150
 - configuration statements GS-140
 - data recovery GS-154
 - high availability GS-41
 - loading sample data GS-147
 - neighbors GS-136
 - overview GS-135
 - redundancy GS-136
 - roles
 - changing secondary to primary, SRC CLI GS-145
 - overview GS-135, GS-136
 - standalone mode
 - SRC CLI GS-141
 - verifying configuration
 - SRC CLI GS-149
- Juniper Networks database, viewing
 - C-Web interface MT-100, MT-101
- Juniper Networks dictionary files, RAD IG-91
- Juniper Policy Server. *See* JPS
- Juniper SDX eTrust Directory. *See* eTrust Directory
- JUNOS ASP policy rules SP-150
 - NAT actions SP-155
 - configuring, Policy Editor SP-335
 - configuring, SRC CLI SP-258
 - network, specifying SP-224
 - Policy Editor SP-302
 - SRC CLI SP-222, SP-224
 - stateful firewall actions, configuring
 - Policy Editor SP-359
 - SRC CLI SP-275
- JUNOS filter policy rules SP-150
 - conditions, setting
 - Policy Editor SP-309
 - SRC CLI SP-240
- JUNOS policer policy rules SP-150
 - policer actions SP-155
 - configuring, Policy Editor SP-342
 - configuring, SRC CLI SP-261
- JUNOS port mirror policy rules
 - traffic mirror actions SP-155
- JUNOS routing platforms
 - accessing router CLI NG-106, NG-131
 - BEEP connection NG-4
 - configuring port, SRC CLI NG-94
 - configuration groups .. NG-90, NG-108, NG-116, NG-135
 - configuring to interact with SAE NG-107, NG-134
 - CoS (Class of Service) SS-288
 - default virtual router NG-90, NG-116
 - disabling interactions with SAE NG-108, NG-135
 - enabling interactions with SAE NG-108, NG-135
 - forwarding preferences SS-295
 - managing traffic SS-276
 - monitoring interactions with SAE NG-108, NG-135
 - policies
 - basic BoD SS-290
 - BOD SS-291
 - BoD and VPNs SS-297
 - firewall SS-277–SS-286
 - NAT SS-286
 - policy features
 - Adaptive Services PIC SP-142
 - CoS SP-141
 - firewall filter SP-142
 - NAT, description SP-142
 - policing, description SP-142
 - policy sharing SP-145
 - rate-shaping SP-150
 - stateful firewall, description SP-142
 - provisioning services
 - prerequisites SS-277
 - router objects, adding
 - SDX Admin NG-117–NG-119
 - SRC CLI NG-91
 - routing preferences SS-293
 - SAE interactions NG-4
 - scalability GS-6
 - services SS-298
 - basic BoD SS-290
 - BoD SS-292
 - BoD and VPNs SS-298
 - firewall SS-277–SS-286
 - NAT SS-286
 - SRC software process NG-90, NG-116
 - statements for integration
 - port-number NG-107, NG-134
 - server-address NG-107, NG-134
 - source-address NG-107, NG-134
 - troubleshooting NG-109, NG-136
 - VR objects, adding individually
 - SDX Admin NG-119–NG-124
 - SRC CLI NG-92
- JUNOS scheduler policy rules SP-150
 - actions SP-155
 - configuring, Policy Editor SP-352
 - configuring, SRC CLI SP-271
 - QoS conditions, configuring
 - Policy Editor SP-316
 - SRC CLI SP-245
 - See also* drop profile maps
- JUNOS shaping policy rules SP-150

- JUNOS IPv6 policy rules
 - network, specifying
 - Policy Editor SP-302
 - SRC CLI SP-222, SP-224
 - JUNOS RADIUS client, RAD IG-96
 - JUNOS routers
 - accessing router CLI NG-58, NG-83
 - COPS connection NG-4
 - configuring, SRC CLI NG-50
 - integration overview NG-46, NG-68
 - monitoring interactions with SAE NG-59, NG-86
 - policies
 - basic BoD SS-290
 - BOD SS-291
 - policy features
 - packet filtering SP-143
 - packet forwarding SP-143
 - policy routing SP-143
 - policy sharing SP-145
 - QoS classification and marking SP-143
 - rate limiting SP-143
 - quality of service (QoS) SS-288
 - router objects, adding
 - SDX Admin NG-69
 - SRC CLI NG-47
 - scalability with SRC software GS-6
 - services
 - basic BoD SS-290
 - BoD SS-292
 - SNMP communities, configuring
 - SRC CLI NG-53
 - SNMP server
 - configuring on router NG-52, NG-77
 - SRC client
 - starting NG-58, NG-85
 - stopping NG-59, NG-86
 - troubleshooting NG-60, NG-87
 - VR objects
 - adding individually, SDX Admin NG-71–NG-76
 - adding individually, SRC CLI NG-48
 - discovering, SDX Admin NG-69
 - discovering, SRC CLI NG-47
 - JVM (Java virtual machine), for NIC proxy NG-207
- K**
- keyboard sequences at MORE prompt CLI-69
 - keytool command IG-63
- L**
- language, setting with SDX Admin GS-363
 - LDAP
 - attributes IG-30
 - integration overview IG-21–IG-23
 - models
 - policy SP-156
 - services SP-34
 - models subscriptions SS-203
 - See also* directory; LDAPS
 - LDAP (Lightweight Directory Access Protocol). *See* directory; directory server
 - LDAP access. *See* SAE (service activation engine), configuring
 - LDAP authentication
 - AATV, RAD IG-87
 - LDAP authentication plug-in SS-152
 - configuring
 - SRC CLI SS-160
 - LDAP configuration, RAD IG-95
 - LDAP directory. *See* directory
 - LDAP features, RAD IG-87
 - LDAP models
 - operators SS-206
 - subscribers SS-202
 - LDAP schema
 - services NG-381
 - SRC-ACP NG-376–NG-381
 - LDAP. *See* directory
 - LDAPS
 - authentication and connection sequence IG-61
 - cacerts files IG-63
 - certificate files IG-63
 - configuring
 - directory server IG-62
 - overview IG-62
 - SAE components IG-64, IG-65
 - directory connections IG-24
 - disabling connection for SAE components IG-65
 - enabling connection for SAE components IG-64
 - overview IG-61
 - LDIF (LDAP Data Interchange Format) files GS-15, IG-24, IG-32
 - leases for licenses. *See* license server
 - licchk command GS-105
 - license
 - master GS-104
 - obtaining GS-84
 - pilot license
 - description GS-83
 - installing, C-series Controller GS-89
 - installing, Solaris platform GS-89, GS-103
 - server license
 - configuration properties GS-95
 - description GS-83
 - installing, C-series Controllers GS-91
 - installing, Solaris platforms GS-104
 - location GS-87
 - overview GS-85
 - types GS-83
 - upgrading software GS-104
 - verifying GS-105
 - viewing on SAE
 - C-Web interface MT-128
 - SRC CLI MT-108
 - license manager
 - configuration statements GS-91
 - configuring
 - SRC CLI GS-92

- license server
 - cleaning log files GS-107
 - customizing GS-95
 - errors GS-85
 - lease renewal GS-87
 - license allocation GS-86
 - license release GS-87
 - license requests GS-86
 - license switching GS-87
 - management commands GS-99
 - SAE failover GS-88
 - troubleshooting GS-107
- Lightweight Directory Access Protocol. *See* LDAP
- limit command GS-276
- limiting subscribers plug-in SS-152
 - configuring
 - SRC CLI SS-152
- listeners, defining SS-321
- load balancing
 - NIC GS-41
- load command CLI-52
- load factory-default command CLI-96
- load merge command CLI-97
- load override command CLI-98
- load replace command CLI-100
- load set command CLI-93, CLI-101
- local configuration tool NG-354
 - description GS-345
 - GUI elements GS-346
 - starting GS-345
- local parameters SP-189
 - configuring
 - Policy Editor SP-206
 - parameter folder SP-203
 - summary table SP-207
 - types SP-190
 - viewing in Policy Editor SP-202
- local password authentication GS-198
- local properties
 - basic properties, configuring GS-237
 - configuration
 - SRC CLI GS-235, GS-237, GS-238, GS-239
 - verifying GS-242
 - configuration statements GS-236
 - directory connection properties, configuring GS-239
 - directory location of SRC data, configuring GS-238
- lock subtree and access control scheme IG-73
- log files
 - license server GS-107
- log.txt log file (DirX) IG-57
- logging
 - configuration statements MT-12
 - configuring component
 - C-Web interface MT-17
 - SRC CLI MT-12
 - file folders MT-12
 - C-Web interface MT-17
 - file logging, configuring
 - SRC CLI MT-12
 - installation session GS-267, GS-268
- log files
 - rotation MT-10
- messages
 - categories MT-8
 - filters MT-8, MT-9
 - format MT-16
 - severity levels MT-8
- overview MT-7
- redirect server SS-260, SS-272
- solpkg.log GS-268
- solpkg_Uninstall.log GS-280
- system log, configuring
 - SRC CLI MT-14
- uninstallation session GS-280
- See also* system log server
- logging properties
 - configuring for SRC-ACP NG-294, NG-361
 - Dynamic Service Activator AL-25, AL-32
- login announcements, system GS-189
- login classes
 - configuration GS-180
 - configuration examples GS-182, GS-183
 - configuration prerequisites
 - SRC CLI GS-179
 - configuration statements GS-179
 - configuration verification GS-181
 - default classes GS-175
 - idle timeout values GS-178
 - options GS-172
 - overview
 - SRC CLI GS-172
 - predefined GS-175
 - privilege level options
 - SRC CLI GS-172
 - privilege levels
 - commands GS-176
 - configuration statements GS-176
- login events, description SS-16
- login names NG-225
- login process
 - assigned IP subscribers, PCMM SG-46
 - assigned IP subscribers, third-party devices IG-6
 - enterprise SS-32
 - event notification method, PCMM SG-48
 - event notification method, third-party devices IG-7
 - residential SS-17
 - DHCP SS-22–SS-27
 - PPP SS-18–SS-20
 - See also* logout process, residential
 - summary SS-16
- login registration
 - configuring
 - SRC CLI SS-46
 - deleting NG-34, NG-40
 - viewing on SAE
 - C-Web interface MT-133
 - SRC CLI MT-109

logout process, residential
 DHCP SS-28
 PPP SS-21
 See also login process
 loss priority actions SP-154
 configuring
 Policy Editor SP-333
 SRC CLI SP-256

M

maintenance permission GS-173
 Manageable JavaBeans. *See* MBeans
 managers
 configuring, SRC CLI SS-192
 control over all retailers SS-7
 management privileges SS-6
 subscribers and subscriptions SS-6
 managing
 backbone network with SRC-ACP NG-382
 congestion points NG-277
 edge network with SRC-ACP NG-306, NG-376
 SAE via external applications AL-13, AL-19
 services via external application AL-13
 map expressions
 application protocol conditions
 Policy Editor SP-312
 SRC CLI SP-244
 substitutions SP-406
 mark actions SP-155
 configuring
 Policy Editor SP-334
 SRC CLI SP-257
 master directory GS-248
 master license GS-104
 MBeans AL-34–AL-35
 md5sum command GS-278
 menu bar, SDX Admin GS-352–GS-354
 Merit AAA server
 Oracle Internet Directory integration, with IG-39
 messages
 broadcast messages, NTP GS-124
 CLI CLI-20
 multicast messages, NTP GS-125
 severity levels for logging GS-128
 meta agent IG-57
 Meta Data tab in SDX Admin GS-358
 metacontroller IG-57
 metadirectory store IG-57
 methods
 access to AL-28
 Dynamic Service Activator AL-43
 MIBs
 Juniper Networks, list MT-44, MT-51
 location MT-52
 monitoring with SNMP agent MT-43, MT-50
 migration. *See* directory migration
 modes, installation on Solaris platforms GS-269
 modifying congestion points NG-326

monitoring
 backbone congestion points NG-292, NG-359
 Dynamic Service Activator AL-34–AL-35
 NIC proxies AL-35
 SRC-ACP NG-394
 C-Web interface NG-337
 SRC CLI NG-328
 Monitoring Agent
 application GS-31
 monitoring tools
 C-Web interface MT-83
 overview MT-3
 SRC CLI MT-83
 MORE filter CLI-75
 MORE prompt CLI-69
 multicast
 NTP messages GS-125
 multiple classifiers, policies SP-153
 mutex group SP-25, SP-78
 access control scheme IG-74
 adding
 SDX Admin SP-79
 SRC CLI SP-26
 adding to service scopes SP-85

N

namespace, configuration AL-15
 naming syntax IG-24
 NAS ID, configuring for SAE
 SRC CLI GS-159
 NAS port ID NG-275
 NAT (Network Address Translation)
 rules SS-408
 services for Enterprise Manager Portal SS-286
 services, IP address SS-401, SS-403, SS-414
 types SS-404
 VPNs SS-301, SS-308
 See also NAT Address Management Portal
 NAT (Network Address Translation) policies SP-142
 actions SP-155
 configuring, Policy Editor SP-335
 configuring, SRC CLI SP-258
 application protocol condition
 defining, Policy Editor SP-311
 defining, SRC CLI SP-241
 map expressions, Policy Editor SP-312
 map expressions, SRC CLI SP-244
 NAT Address Management Portal
 acknowledging IP address release SS-415
 assigning IP addresses SS-414
 deployment settings SS-337
 Enterprise Manager Portal SS-343
 overview SS-413
 navigation pane, SDX Admin GS-355
 NetScreen-Security Manager integration
 thm.py script AL-94
 thm.sh script AL-94

- Net-SNMP master agent..... GS-266, GS-297
 - installing GS-309
 - monitoring GS-310
 - starting GS-310
 - stopping GS-310
 - supported GS-266
 - using GS-309
- network
 - permission GS-173
- Network Address Translation. *See* NAT
- network and access control scheme IG-74
- network information collector. *See* NIC
- network interfaces..... NG-306, NG-310, NG-376, NG-382
- network publisher. *See* NIC NG-188
- Network Time Protocol. *See* NTP
- networkInterface object class NG-376
- networkInterfaceRef attribute NG-378
- new directory entries GS-317
- next-hop actions SP-155
 - configuring
 - Policy Editor..... SP-337
 - SRC CLI SP-259
- next-interface actions SP-155
 - configuring
 - Policy Editor..... SP-339
 - SRC CLI SP-260
- next-rule actions SP-155
 - configuring
 - Policy Editor..... SP-341
 - SRC CLI SP-261
- NIC (network information collector)
 - agents, viewing
 - C-Web interface MT-168
 - SRC CLI MT-156
 - API NG-217
 - configuration prerequisites
 - C-series Controllers NG-162
 - configuration statements..... NG-160
 - configuration, changing..... NG-179
 - configuration, verifying NG-176
 - CORBA naming server..... NG-157
 - data mapping NG-149
 - default operating properties, viewing NG-164
 - description GS-14
 - Dynamic Service Activator and AL-19
 - enterprise service portals. with..... SS-321
 - factory interface NG-217, NG-218
 - hosts, viewing
 - C-Web interface MT-163
 - SRC CLI MT-154
 - IP address pool..... SG-112
 - IP address pool, configuring
 - SDX Admin SG-71
 - SRC CLI SG-65
 - load balancing..... GS-41
 - local IP address pools SG-75
 - logging
 - changing configuration..... NG-169
 - default NG-169
 - monitoring
 - C-Web interface MT-163
 - SRC CLI MT-153
 - monitors
 - example NG-263
 - network publisher
 - configuration file NG-189
 - input directory NG-194
 - output file..... NG-194
 - overview NG-188
 - prerequisites NG-188
 - running NG-193
 - troubleshooting NG-193
 - operating properties, changing NG-164
 - overview..... GS-14, NG-147
 - planning implementation NG-153
 - realms
 - overview NG-226
 - replication
 - configuring..... NG-166
 - groups NG-151, NG-184
 - overview NG-151
 - SAE plug-in agents..... NG-174
 - resolution data, troubleshooting MT-160
 - resolution data, viewing
 - C-Web interface MT-165
 - SRC CLI MT-157, MT-158
 - resolution processes GS-14, NG-225, NG-226
 - resolvers
 - constraints NG-229
 - overview NG-150
 - restarting..... NG-178
 - roles NG-226
 - starting..... NG-164
 - statistics, viewing
 - C-Web interface MT-163
 - SRC CLI MT-154, MT-155
 - stopping NG-176
 - testing
 - any key NG-206
 - examples..... NG-177
 - resolution NG-176
 - test data NG-205, SG-179
 - viewing
 - configuration..... NG-238
 - host status..... NG-186
- See also other NIC entries*
- NIC agents
 - configuration overview NG-156
 - directory, changes, managing..... NG-236
 - directory, configuring
 - SRC CLI NG-170
 - overview..... NG-150
 - restarting..... NG-178
 - sae plug-in agents, configuring NG-172
- NIC configuration scenarios
 - changing..... NG-179
 - SRC CLI NG-167
- Multipop NG-265
- OnePop NG-238

- OnePopAcctId NG-250
- OnePopAllRealms NG-261
- OnePopDnSharedIp NG-257
- OnePopDynamicIp NG-244, SG-75
- OnePopLogin NG-252
- OnePopPcmm NG-242
- OnePopPrimaryUser NG-255
- OnePopSharedIp NG-246
- OnePopStaticRouteIp NG-187, NG-248
- OnePopStaticRouteIp NG-175
- overview NG-154, NG-238
- PCMM environment, in SG-75
- static-dn NG-179
- NIC hosts
 - configuration prerequisites NG-162
 - groups NG-151, NG-184
 - overview NG-150
 - redundancy
 - example NG-261–NG-264
 - starting NG-164, NG-185
 - stopping NG-177, NG-178, NG-179, NG-186
- NIC locators
 - external applications NG-215, NG-216
 - overview NG-148, NG-149
- NIC proxies
 - cache, configuring
 - SRC CLI NG-202, SG-176
 - configuration overview NG-197
 - configuration prerequisites NG-200, SG-174
 - Dynamic Service Activator AL-28
 - instantiating NG-220
 - JacORB NG-208
 - logging NG-219
 - monitoring AL-35, NG-213
 - NIC replication, configuring
 - SRC CLI NG-203, SG-177
 - ORB version NG-208
 - overview NG-149
 - prerequisites NG-198
 - proxy stub NG-210
 - removing instances NG-222
 - requirements NG-217
 - resetting MBeans NG-213
 - resolution information, configuring
 - SRC CLI NG-201, SG-174
 - resolution requests NG-220
- NIC resolvers
 - restarting NG-179
- NicProxyMgmt MBean AL-35
- non-real-time polling service SP-157
- nonroot user vs. root user GS-258
- normal services. *See* value-added services
- NRTPS (non-real-time polling service) SP-157
- NTP (Network Time Protocol)
 - authentication
 - configuration GS-122
 - configuration statements GS-122
 - authentication keys GS-122
 - boot server GS-118
 - client mode GS-119
 - configuration GS-114
 - configuration statements GS-117
 - listening
 - broadcast messages GS-124
 - multicast messages GS-125
 - modes GS-113, GS-114
 - monitoring
 - C-Web interface MT-173
 - SRC CLI MT-171, MT-172
 - overview GS-113
 - statistics, viewing
 - C-Web interface MT-174
 - SRC CLI MT-172
 - symmetric active mode GS-120
- O**
 - object classes IG-27
 - object classes. *See* LDAP schema
 - object interdependence, SDX Admin GS-362
 - on-demand services GS-4, GS-7
 - online help. *See* CLI, help
 - open interfaces GS-8
 - operating system requirements, RAD IG-86
 - operation
 - Dynamic Service Activator AL-18
 - SRC-ACP, configuring NG-296, NG-362
 - operational mode CLI-4
 - operator login class GS-175
 - operators
 - activating access IG-76
 - adding
 - SDX Admin SS-225
 - control over all retailers SS-206
 - LDAP model SS-206
 - management privileges SS-13, SS-205
 - subscribers and subscriptions SS-12, SS-204
 - operators in regular expressions CLI-71
 - operators in substitution expressions SP-407–SP-410
 - operators, regular expression GS-177
 - Oracle Internet Directory
 - add-on package GS-16, IG-40
 - directory settings IG-42
 - installing IG-41
 - integrating with SRC software IG-40–IG-42
 - integration GS-16
 - load script IG-40, IG-42
 - loading sample data IG-42
 - Merit AAA server, and IG-39
 - password configuration IG-40
 - OSS integration GS-6
 - outsourced services SP-34
 - adding
 - Policy Editor SP-36
 - configuring subscriptions SS-230
- P**
 - packages, Solaris. *See* Solaris packages
 - packet filtering, JUNOS routers SP-143
 - packet forwarding, JUNOS routers SP-143

- packet loss priority. *See* loss priority actions
- packet mirroring, configuring SG-134
- PacketCable Multimedia Specifications. *See* PCMM
- PacketCable Multimedia. *See* PCMM
- parameter names
 - substitutions SP-403
- parameter value acquisition SP-397–SP-411
 - example SP-411
 - multiple subscriptions SP-400
 - single subscriptions SP-398
 - See also* substitutions
- parameter values, setting in services SP-8
- parameters
 - acquisition path and substitutions SS-322
 - defining SP-401
 - definition SP-397
 - fixing SP-398
 - global. *See* global parameters
 - local. *See* local parameters
 - ranking sources SP-398
 - sample enterprise service portal SS-425
 - subtree and access control scheme IG-72
 - types SP-190
 - See also* substitutions
- partitioned directories NG-374
- passwords
 - RADIUS
 - SRC CLI GS-192
 - shared user GS-198
 - shared user accounts GS-199
 - user accounts GS-186
- patches
 - installation GS-263
 - J2SE GS-263
 - Solaris AL-5, GS-263
- PCIM (Policy Core Information Model) IG-29
- PCMM (PacketCable Multimedia)
 - application manager, role SG-36
 - client type 1 SG-38
 - client type 2 SG-39
 - CMTS device, role SG-36
 - configuring SAE
 - SRC CLI SG-52
 - creating sessions SG-46
 - description SG-36–SG-40
 - DOCSIS protocol SG-37
 - end-to-end QoS architecture SG-41
 - end-to-end services SG-41
 - integrating SRC software SG-35
 - IP service edge domain SG-41
 - IP subscriber edge domain SG-41
 - logging in subscribers
 - assigned IP method SG-46
 - event notification method SG-47
 - overview SG-46
 - NIC configuration for SG-75
 - overview SG-35
 - policy server, role SG-36
 - provisioning end-to-end services SG-43
 - record-keeping server SG-36
 - RF domain SG-35
 - SAE SG-45
 - SAE communities SG-49
 - SAE connection NG-5
 - service flows SG-37
 - session store SG-50
 - single-phase resource reservation model SG-38, SG-39
 - SRC software in
 - description SG-40
 - traffic profiles SG-41
 - videoconferencing example SG-43
 - video-on-demand example SG-44
- PCMM device driver
 - configuration statements SG-53
 - configuring
 - SRC CLI SG-53
- PCMM policies
 - classifiers SP-160
 - client type 1 support SP-158
 - conditions and actions supported SP-152
 - DOCSIS parameters SP-161
 - configuring, Policy Editor SP-321
 - configuring, SRC CLI SP-247
 - extended classifiers SP-160
 - configuring, Policy Editor SP-296
 - configuring, SRC CLI SP-218
 - FlowSpec parameters SP-162
 - configuring, Policy Editor SP-326
 - configuring, SRC CLI SP-252
 - controlled load service SP-162
 - guaranteed service SP-162
 - request specification (RSpec) SP-162
 - traffic specification (TSpec) SP-162
- gate SP-159
- gateSpec parameters, configuring
 - Policy Editor SP-331
 - SRC CLI SP-255
- I02 and I03 classifiers SP-160
 - configuring, Policy Editor SP-296
 - configuring, SRC CLI SP-218
- marking packets SP-163
- proxied QoS with policy push SP-159
- service class name SP-161
 - configuring, Policy Editor SP-358
 - configuring, SRC CLI SP-274
- service flow scheduling types SP-157
- SessionClassId SP-159
- traffic profiles SP-161
- PCMM record-keeping server plug-in
 - configuration statements SG-59
 - configuring
 - SRC CLI SG-59
 - description SG-50
- PDA (personal digital assistant) to display portal GS-33
- performance
 - enterprise service portals SS-321
- permanent service SP-4, SP-88
 - configuring
 - Policy Editor SP-88
 - SRC CLI SP-7

- permissions
 - access control lists IG-68
 - SRC CLI GS-172
- pilot license. *See* license
- pkgadd command GS-278
- pkgrm command GS-279
- pkgtrans command GS-278
- plug-ins
 - activating service sessions SS-127
 - architecture NG-6
 - authentication
 - configuring, SRC CLI SS-151
 - authorization SP-103, SP-115
 - configuring, SRC CLI SS-151
 - basic RADIUS accounting SS-140
 - configuring, SRC CLI SS-144
 - basic RADIUS authentication SS-151
 - configuring, SRC CLI SS-153
 - creating subscriber sessions SS-126
 - custom RADIUS accounting SS-140
 - configuring, SRC CLI SS-148
 - custom RADIUS authentication SS-151
 - configuring, SRC CLI SS-157
 - defining RADIUS packets
 - SDX Admin SS-134
 - SRC CLI SS-163
 - DHCP address assignment SS-124
 - event publishers. *See* event publishers
 - external NG-7
 - configuring in SAE property file SS-133
 - configuring, SRC CLI SS-130
 - flat file accounting SS-140
 - configuring, SRC CLI SS-141
 - flexible RADIUS accounting SS-140
 - configuring SS-146
 - flexible RADIUS authentication SS-151
 - configuring, SRC CLI SS-155
 - hosted NG-7
 - hosted internal plug-in NG-292, NG-359
 - internal NG-6, SS-122
 - authorization SS-122
 - configuring in SAE property file SS-134
 - configuring RADIUS peers, SRC CLI SS-138
 - configuring, SRC CLI SS-129
 - customizing RADIUS packets SS-124
 - how they work SS-121
 - pool SS-121
 - RADIUS attributes, SRC CLI SS-163
 - tracking SS-123
 - LDAP authentication SS-152
 - configuring, SRC CLI SS-160
 - limiting subscribers SS-152
 - configuring, SRC CLI SS-152
 - listeners SS-321
 - PCMM record-keeping server plug-in SG-50
 - SRC-ACP NG-273
 - state synchronization
 - configuring, SRC CLI SS-131
 - tracking
 - configuring, SRC CLI SS-140
 - service sessions SS-127
 - subscriber sessions SS-126
 - virtual routers, SDX Admin NG-74, NG-123
 - virtual routers, SRC CLI NG-49, NG-93
 - types NG-6
 - See also* Enterprise Service Portal audit plug-in
- point of presence. *See* POP
- policer actions SP-155
 - configuring
 - Policy Editor SP-342
 - SRC CLI SP-261
- policies
 - basic BoD SS-290
 - BoD SS-291
 - BoD and VPNs SS-297
 - defining parameters in repository SP-397
 - management GS-7
 - NAT SS-286
 - parameters SS-324
 - storing and retrieving SP-188
 - viewing on SAE
 - C-Web interface MT-129
 - SRC CLI MT-108
- Policies, Services, and Subscribers CLI. *See* SRC CLI
- Policies, Services, and Subscribers tasks. *See* C-Web interface
- policing policies
 - described SP-142
 - example
 - Policy Editor SP-386
 - SRC CLI SP-374
- policy actions SP-148
 - color SP-154
 - configuring, Policy Editor SP-320
 - configuring, SRC CLI SP-246
 - combining SP-156
 - configuring SP-245–SP-279, SP-318–SP-363
 - DOCSIS SP-154
 - configuring, Policy Editor SP-321
 - configuring, SRC CLI SP-247
 - filter SP-154
 - configuring, Policy Editor SP-325
 - configuring, SRC CLI SP-251
 - FlowSpec SP-154
 - configuring, Policy Editor SP-326
 - configuring, SRC CLI SP-252
 - forward SP-154
 - configuring, Policy Editor SP-329
 - configuring, SRC CLI SP-254
 - forwarding class SP-154
 - configuring, Policy Editor SP-330
 - configuring, SRC CLI SP-254
 - gateSpec SP-154
 - configuring, Policy Editor SP-331
 - configuring, SRC CLI SP-255
 - loss priority SP-154
 - configuring, Policy Editor SP-333
 - configuring, SRC CLI SP-256

mark	SP-155	policy conditions	SP-148
configuring, Policy Editor	SP-334	policy rules supported	SP-150
configuring, SRC CLI	SP-257	types	SP-152
NAT	SP-155	<i>See also</i> classify-traffic condition; QoS condition	
configuring, Policy Editor	SP-335	Policy Editor	
configuring, SRC CLI	SP-258	accessing routers	NG-83, NG-131
next hop	SP-155	concurrency control	SP-167
configuring, Policy Editor	SP-337	copying objects	SP-180
configuring, SRC CLI	SP-259	customizing properties	SP-175
next interface	SP-155	cutting objects	SP-179
configuring, Policy Editor	SP-339	data security	SP-167
configuring, SRC CLI	SP-260	deleting objects	SP-180
next rule	SP-155	description	GS-19
configuring, Policy Editor	SP-341	directory connection fields	SP-169
configuring, SRC CLI	SP-261	drag and drop	SP-179
policer	SP-155	exception handling in directory	SP-166
configuring, Policy Editor	SP-342	filtering searches	SP-177
configuring, SRC CLI	SP-261	finding objects	SP-178
policy rules supported	SP-150	icons, navigation pane	SP-174
QoS profile attachment	SP-155	internationalizing	SP-187
configuring, Policy Editor	SP-344	keys, customizing	SP-166
configuring, SRC CLI	SP-264	modifying policies	SP-179
rate limit	SP-155	multiple operators	SP-167
configuring, Policy Editor	SP-346	nonroot users	SP-166
configuring, SRC CLI	SP-265	pasting objects	SP-180
reject	SP-155	printing policy objects	SP-176
configuring, Policy Editor	SP-350	redoing operations	SP-176
configuring, SRC CLI	SP-269	reloading objects	SP-181
routing instance	SP-155	sample window	GS-20
configuring, Policy Editor	SP-351	selecting multiple objects	SP-179
configuring, SRC CLI	SP-270	sorting policy objects	SP-188
scheduler	SP-155	starting	SP-169
configuring, Policy Editor	SP-352	storing and retrieving policies	SP-188
configuring, SRC CLI	SP-271	summary tables	SP-185
service class name	SP-155	undoing operations	SP-176
configuring, Policy Editor	SP-358	policy engine	SP-147
configuring, SRC CLI	SP-274	policy examples	
stateful firewall	SP-155	access policy	
configuring, Policy Editor	SP-359	Policy Editor	SP-379
configuring, SRC CLI	SP-275	SRC CLI	SP-367
traffic class	SP-155	premium service	
configuring, Policy Editor	SP-360	Policy Editor	SP-389
configuring, SRC CLI	SP-276	SRC CLI	SP-376
traffic mirror	SP-155	tiered Internet service	
configuring, Policy Editor	SP-361	Policy Editor	SP-383
configuring, SRC CLI	SP-277	SRC CLI	SP-371
traffic-shape	SP-155	policy folders	SP-149
configuring, Policy Editor	SP-363	configuring	
configuring, SRC CLI	SP-278	Policy Editor	SP-284
types	SP-154	SRC CLI	SP-211
user packet class	SP-155	policy groups	SP-149
configuring, Policy Editor	SP-364	configuring	
configuring, SRC CLI	SP-279	Policy Editor	SP-285
policy components	SP-146	SRC CLI	SP-212
policy decision point, description	SP-147	deleting from directory	SP-365
Policy Editor	SP-147	purging from directory	SP-365
policy enforcement point, description	SP-148	summary table	SP-287
policy engine	SP-147		
policy repository	SP-148		

- policy lists..... SP-149
 - configuring
 - Policy Editor..... SP-288
 - SRC CLI..... SP-212
 - sharing..... SP-145
 - summary table..... SP-290
- policy management..... GS-19
- policy objects
 - access control..... IG-75
 - adding policy groups in directory..... SP-365
 - modifying in directory..... SP-365
 - organization..... SP-149
- policy overview
 - actions. *See* policy actions
 - collecting accounting statistics..... SP-146
 - conditions. *See* classify-traffic condition; QoS condition
 - default policies. *See* default policies
 - installing policies on router..... SP-144
 - network perspective diagram..... SP-145
 - policy object organization..... SP-149
 - router features supported..... SP-141
 - service policies. *See* service policies
 - sharing policies..... SP-145
- policy repository, description..... SP-148
- policy rules..... SP-149
 - actions supported..... SP-150
 - conditions supported..... SP-150
 - configuring
 - Policy Editor..... SP-291
 - SRC CLI..... SP-213
 - JUNOS Adaptive Services PIC (ASP). *See* JUNOS ASP
 - policy rules
 - JUNOS filter. *See* JUNOS filter policy rules
 - JUNOS policer. *See* JUNOS policer policy rules
 - JUNOS scheduler. *See* JUNOS scheduler policy rules
 - JUNOS shaping. *See* JUNOS shaping policy rules
 - precedence
 - Policy Editor..... SP-292
 - SRC CLI..... SP-214
 - summary table..... SP-294
 - types..... SP-150
- policy servers
 - adding application manager groups
 - SDX Admin..... SG-110
 - SRC CLI..... SG-98
 - adding objects to directory
 - SDX Admin..... SG-114
 - SRC CLI..... SG-100
 - role, in PCMM architecture..... SG-36
 - specifying application managers
 - SDX Admin..... SG-110
 - SRC CLI..... SG-98
 - specifying SAE communities
 - SDX Admin..... SG-110
 - SRC CLI..... SG-98
- policy subtree and access control scheme..... IG-72
- Policy Web Admin
 - connecting to directory..... SG-19
 - launching..... SG-18
- querying directory..... SG-20
- searching for QoS Policy data..... SG-17
- poolRepublish command
 - executing..... NG-81
 - prerequisites..... NG-80
 - troubleshooting..... NG-83
 - variables..... NG-81
- POP (point of presence)
 - master directory and directory shadows..... GS-248
- portals, testing..... MT-33
- ports
 - RADIUS server..... GS-192
 - SRC-related components..... AL-9, GS-284
- PPP
 - access policy example
 - Policy Editor..... SP-382
 - SRC CLI..... SP-370
- PPP subscribers
 - login process..... SS-18–SS-20
 - logout process..... SS-21
 - Web login..... SS-18
- precedence
 - policy rules
 - Policy Editor..... SP-292
 - SRC CLI..... SP-214
 - subscriptions..... SS-276
- predefined login classes..... GS-175
- premium service, example
 - Policy Editor..... SP-389
 - SRC CLI..... SP-376
- Prepaid Account Administration application..... GS-31, GS-32
- prepaid services demonstration application..... GS-31
- preparation time, service schedules
 - overview..... SP-94
 - setting
 - SRC CLI..... SP-102
- preventing
 - service activation..... NG-279
 - use of unauthorized resources..... SS-245
- primary directory..... GS-233
- priorityList..... NG-204, SG-178
- privilege levels..... GS-175
 - SRC CLI..... CLI-26, GS-172
- privileges
 - IT managers..... SS-318
- product features..... GS-6, GS-8
- ProLDAP AATV, RAD..... IG-88, IG-92
- prompt strings for CLI..... CLI-84
- properties
 - SRC-ACP..... NG-294, NG-361
- property files
 - default properties..... GS-295
 - SAE and directory attributes..... GS-295
- protocols
 - communication..... SS-328
 - routing..... SS-301, SS-308
- proxied QoS with policy push..... SP-159
- proxy HTTP..... SS-245, SS-247
- proxy request management..... SS-245
- public addresses, VPNs..... SS-301, SS-308

public SOAP interfaces.....AL-43
 publishing events.....NG-292, NG-359
 Python installation prerequisiteGS-266

Q

QoS (quality of service)
 classification and marking.....SP-143
 condition.....SP-152
 configuring, Policy Editor.....SP-316
 configuring, SRC CLI.....SP-245
 PCMM cable networks. *See* PCMM policies
 PCMM environments
 end-to-end QoS architecture.....SG-41
 extending to service edge domain.....SG-43
 extending to subscriber edge domain.....SG-42
 providing at application level. *See* DPI
 QoS parameters, configuring
 Policy Editor.....SP-345
 SRC CLI.....SP-264
 QoS profile attachment actions.....SP-155
 configuring, Policy Editor.....SP-344
 configuring, SRC CLI.....SP-264
 QoS profile, configuring
 Policy Editor.....SP-345
 SRC CLI.....SP-264
 searching for policies in directory.....SG-14, SG-17
 QoS profiles, JUNOS routers
 how tracking works.....SG-2
 managing dynamically.....SG-2–SG-7
 updating directory, using
 qosProfilePublish.....SG-11
 SDX Admin.....SG-10
 QoS profile-tracking plug-in
 description.....SG-2
 QoS tracking plug-in.....SS-140
 quality of service. *See* QoS
 quit command.....CLI-52

R

RADIUS
 address for SAE
 SRC CLI.....GS-159
 description.....GS-27
 master directory and directory shadows.....GS-249
 OSS integration.....GS-6
 profiles and access control scheme.....IG-71
 server compliant RFCs.....GS-28
 subscriber management.....GS-7
 vendor-specific attributes for wireless ISP
 roaming.....SG-23
 versions supported.....GS-263
 See also RAD-Series RADIUS Server; Steel-Belted
 Radius/SPE server
 RADIUS attributes
 defining in RADIUS plug-ins
 SRC CLI.....SS-163
 dictionary files, RAD.....IG-91
 examples, defining in RADIUS plug-ins
 SRC CLI.....SS-170

RADIUS authentication
 RAD.....IG-91
 RADIUS authorization. *See* authentication
 RADIUS client
 configuration, RAD.....IG-98
 UDP ports, RAD.....IG-88
 vendor, RAD.....IG-97
 RADIUS client library, custom RADIUS plug-ins.....SS-124
 RADIUS packets, customizing in plug-ins.....SS-124
 RADIUS peers
 configuring in plug-ins
 SRC CLI.....SS-138
 RADIUS plug-ins
 authentication.....SS-151
 UDP port.....SS-162
 See also plug-ins
 RADIUS profiles, RAD.....IG-95
 RADIUS services.....SP-34
 adding
 Policy Editor.....SP-38–SP-47
 and ERX VSA.....SP-41, SP-45
 configuring subscriptions.....SS-236
 VSAs (vendor-specific attributes),
 configuring.....SP-41–SP-47
 RADIUS shared secret, RAD.....IG-97, IG-98
 RAD-Series RADIUS Server.....GS-28
 configuring.....IG-97
 installation.....IG-86
 starting.....IG-89
 stopping.....IG-89
 syntax description.....IG-98
 testing.....IG-98
 testing installation.....IG-98
 RAD-Series Server Manager.....IG-89
 RAM requirements, RAD.....IG-86
 randomPick.....NG-204, SG-178
 rate-limit actions.....SP-155
 configuring
 Policy Editor.....SP-346
 SRC CLI.....SP-265
 example
 Policy Editor.....SP-384
 SRC CLI.....SP-372
 rate-limiting, with multiple classifiers.....SP-153
 read-only login class.....GS-175
 realm
 administration, RAD.....IG-94
 See also NIC realms
 realm name
 authentication, RAD.....IG-92
 description, RAD.....IG-92
 real-time polling service. *See* RTPS
 record servlet for SRC-TMP.....AL-83
 record-keeping server. *See* RKS
 redirect server
 assessing load
 SRC CLI.....SS-261
 configuration prerequisites.....SS-251
 configuration statements
 SRC CLI.....SS-250

- configuring
 - Solaris platform SS-263
 - SRC CLI SS-251
- configuring DNS server for
 - SRC CLI SS-257
- configuring HTTP proxy support
 - SRC CLI SS-258
- configuring redundant
 - SRC CLI SS-259
- directory connection
 - SRC CLI SS-253
- failover SS-248
- file extensions
 - SRC CLI SS-256
- logging SS-272
 - SRC CLI SS-260
- number of requests
 - SRC CLI SS-255
- protection against denial-of-service attacks SS-248
- redundancy SS-247, SS-248
- statistics, viewing
 - C-Web interface MT-179
 - SRC CLI MT-177
- traffic definition
 - SRC CLI SS-254
- verifying
 - SRC CLI SS-257
- redrawing screen CLI-78
- redundancy
 - consolidated configuration, for GS-253
 - directory GS-233
 - Dynamic Service Activator AL-20
 - redirect server SS-247
 - SRC-ACP NG-280
- references
 - draft RFCs GS-374
 - non-RFC software standards GS-374
 - RFCs GS-373
 - URLs, third-party GS-375
- regional data centers, consolidated installation GS-252
- regionalized installation on Solaris platforms GS-250
- regular expressions
 - displaying first match CLI-73
 - displaying matching output CLI-74
 - disregarding nonmatching output CLI-73
 - operators GS-177
 - overview CLI-71
 - usage guidelines GS-177
- reject actions SP-155
 - configuring
 - Policy Editor SP-350
 - SRC CLI SP-269
- reliability, distributed installation GS-249
- removing
 - Solaris packages AL-6
 - Web applications AL-8
- rename command CLI-52, CLI-63
- request license import master-license file-name
 - command GS-91
- request system halt command CLI-46
- request system reboot CLI-47
- requirements, Solaris platforms GS-259
- reset permission GS-173
- resetting MBean counters AL-34
- residential portal
 - description GS-32
 - directory eventing and failover GS-17
 - PDAs GS-33
- residential subscribers SS-3, SS-9
 - adding
 - SDX Admin SS-214
 - SRC CLI SS-183
 - login process. *See* login process
- resolution processes
 - DN to SAE reference NG-257, NG-261, NG-269
 - IP address to login name NG-252
 - IP address to SAE reference NG-238, NG-246, NG-257, NG-261, NG-266
 - login name to SAE reference NG-252
- resolving host names
 - SRC CLI GS-133
- resource checking, after installation GS-261
- restart command CLI-46, CLI-105
- restoring
 - DirX directory database IG-60
 - Sun ONE directory database IG-51
- retailer use of SRC network AL-13
- retailers
 - subscribers SS-3, SS-9
 - adding, SDX Admin SS-208
 - adding, SRC CLI SS-179
- retrieving directory changes GS-233
- RFCs GS-373, GS-374
- RKS (record-keeping server)
 - peers, configuration statements SG-58
 - peers, configuring in plug-ins
 - SRC CLI SG-58
 - plug-in SG-50
 - plug-in, configuration statements SG-61
 - plug-in, configuring
 - SRC CLI SG-59
 - role in PCMM environment SG-36
- roaming wireless environment SG-21–SG-29
- role, security AL-24
- roles
 - substitutions SP-403
- roles, NIC NG-226
- rollback command CLI-16, CLI-52
- root account GS-188
- root user vs. nonroot user GS-258
- roundRobin NG-204, SG-178
- router initialization scripts
 - iorPublisher NG-54, NG-78
 - JUNOS NG-103, NG-129
 - configuring location NG-131
 - configuring location, SRC CLI NG-105
 - example NG-105, NG-130
 - JUNOSe NG-54, NG-77
 - configuring location, SRC CLI NG-56
 - example NG-56, NG-79

- poolPublisherNG-54, NG-78
- specifying for NIC..... NG-158
- router interfaces
 - viewing on SAE
 - C-Web interface MT-131
 - SRC CLI MT-107
- router object
 - adding for third-party devices
 - SRC CLIIG-10
- router subscribers.....SS-4, SS-10
 - adding
 - SDX Admin SS-223
 - SRC CLI SS-190
- routers
 - accessing router CLING-58, NG-83
 - adding JUNOS routing platforms
 - SDX AdminNG-116–NG-124
 - SRC CLI NG-90
 - adding JUNOSe
 - SDX AdminNG-68–NG-76
 - SRC CLI NG-46
 - integrating JUNOS routing platform.....NG-90, NG-116
 - integrating JUNOSeNG-46, NG-68
- routing instance actions..... SP-155
 - configuring
 - Policy Editor..... SP-351
 - SRC CLI SP-270
- routing instances SS-297
 - VPNsSS-302, SS-309
- routing permissionGS-173
- routing scheme.....SS-301, SS-308
- routing table, viewing
 - C-Web interface MT-185
 - SRC CLI MT-182
- routing-control permission.....GS-173
- RTPS (real-time polling service) SP-157
 - configuring..... SP-248, SP-321
 - Policy Editor..... SP-321
 - SRC CLI SP-247
- rules, NAT SS-408
- run command CLI-52

S

- SAE (service activation engine)
 - accounting NG-10
 - APIs. *See* APIs
 - BEEP connection, JUNOS routing platforms NG-4
 - classification scripts. *See* classification scripts
 - configuration, viewing
 - C-Web interface MT-125
 - SRC CLI MT-105
 - configuring as an application manager
 - Solaris platformsSG-109
 - SRC CLISG-98
 - configuring groups
 - SRC CLI GS-156
 - COPS
 - JUNOSe router connection NG-4
 - descriptionGS-7, GS-13

- directory blacklist, deleting NG-33, NG-39
- directory blacklist, viewing
 - C-Web interface MT-126
 - SRC CLI MT-106
- disabling interactions with JUNOS routing
 - platform..... NG-108, NG-135
- enabling interactions with JUNOS routing
 - platform..... NG-108, NG-135
- failover parameters NG-35, NG-41
- identifying SS-319
- initial properties, overview
 - SRC CLIGS-155
- JUNOS routing platform client NG-107, NG-134
- login events SS-15
- login process. *See* login process
- logout process. *See* logout process
- managing via external applicationsAL-13, AL-19
- monitoringGS-284
- monitoring interactions
 - JUNOS routing platform NG-108, NG-135
 - JUNOSe routers NG-59, NG-86
- NIC replication, configuring
 - SRC CLI NG-174
- overview NG-3–NG-12
- PCMM environment NG-5, SG-45
- plug-ins *See* plug-ins
- property file
 - configuring external plug-ins SS-133
 - configuring internal and hosted plug-ins SS-134
- redundancy. *See* SAE communities
- reloading configurationNG-32, NG-37, NG-38
- role..... NG-3
- router initialization scripts. *See* router initialization scripts
- security properties..... IG-64
- session store
 - C-series controllers..... NG-23
- SNMP information, viewing
 - C-Web interface MT-140
 - SRC CLI MT-117
- starting.....GS-283
 - Solaris platformsGS-283
 - SRC CLIGS-159
 - SRC client on JUNOSe router NG-58, NG-85
- stopping
 - Solaris platformsGS-284
 - SRC CLIGS-160
 - SRC client on JUNOSe router NG-59, NG-86
- verifying statusGS-160
- SAE (service activation engine), configuring
 - accepting login names with different formats
 - property file SS-53
 - BEEP connection
 - SRC CLI NG-94
 - community manager
 - SRC CLISG-55
 - COPS connection
 - SRC CLI NG-50
 - directory eventing, SAE configuration data
 - SRC CLI NG-21

- event notification API properties
 - SRC CLISG-57
- initial properties
 - directory properties.....GS-290
 - general propertiesGS-293
 - local configuration tool.....GS-289
 - portal addressGS-292
 - property files.....GS-295
 - RADIUS propertiesGS-292
 - SRC CLIGS-157
- interim accounting
 - SRC CLISS-43
- IOR
 - JUNOSNG-122
 - JUNOSeNG-74
 - PCMMSG-72
- LDAP access, SRC CLI
 - device dataNG-21
 - directory data.....NG-13
 - persistent login cache data.....NG-19
 - policy dataNG-18
 - service dataNG-17
 - subscriber data.....NG-15
- loading subscriptions, RADIUS authorization
 - property fileSS-51
- login registration
 - SRC CLISS-46
- multiple logins from same IP address
 - SRC CLISS-45
- NAS ID
 - SRC CLIGS-159
- PCMM device driver
 - SRC CLISG-53
- property file
 - modifying with SDX Admin.....SS-49, SS-50
 - modifying with text editor.....SS-50
- RADIUS address
 - SRC CLIGS-159
- reduce reported session time
 - SRC CLISS-44
- router initialization script location
 - SRC CLING-56, NG-105
 - SAE (service activation engine).....NG-131
- serialized data compression
 - SRC CLING-28
- session job manager
 - SRC CLING-29
- session reactivation timers
 - SRC CLISS-46
- session store
 - SRC CLING-24
- simulated router driver
 - C-Web interfaceMT-31
 - SRC CLIMT-27
- SNMP communities
 - C-series controllers.....NG-52
 - Solaris PlatformsNG-76
- SRC-ACP.....NG-291, NG-358
- time for MAC address in cache
 - SRC CLISS-41
- to monitor backbone congestion
 - points.....NG-292, NG-359
- unauthenticated user DN
 - SRC CLISS-43
- See also* SAE (service activation engine)
- SAE communities
 - configuration overview
 - SRC CLISG-55
 - configuration statementsSG-55
 - configuring manager
 - SRC CLISG-55
 - configuring, third-party devices
 - SRC CLIIG-12
 - defining members
 - SDX AdminSG-70
 - SRC CLISG-65
 - description.....SG-49
 - description, third-party devicesIG-4
- SAE remote interface
 - customized interface modulesNG-9
- sample dataIG-32
 - deep packet inspection (DPI)AL-107
 - description.....GS-15
 - Dynamic Service Activator.....AL-32
 - installingAL-32
 - loading
 - DirX directory serverIG-57
 - eTrust DirectoryIG-36
 - Oracle Internet Directory.....IG-42
 - SRC CLIGS-147
 - Sun ONE Directory ServerIG-49
- sample enterprise service portal
 - configuring connection to directorySS-335
 - customizingSS-335
 - privilegesSS-318
 - data, displayingSS-348
 - managing servicesSS-419–SS-421
 - monitoring
 - service sessionsSS-423
 - subscriptionsSS-421
 - networks for departmentsSS-424, SS-425
 - overviewSS-319
 - parametersSS-425
 - service parametersSS-422
- sample residential portal
 - developing portal based on the sample.....SS-427
- save commandCLI-52
- scalability, distributed installationGS-249
- scheduleAuth plug-in.....SP-103, SP-115
- scheduler actionsSP-155
 - configuring
 - Policy EditorSP-352
 - SRC CLISP-271
 - See also* drop profile maps
- schema, loading
 - DirX directory serverIG-54
 - Oracle Internet DirectoryIG-40
 - Sun ONE Directory ServerIG-47
- scopes. *See* service scopes

- screen
 - dimensions CLI-83, CLI-84
 - redrawing CLI-78
- script command GS-268
- script service
 - DPI integration AL-108
- script services SP-20, SP-72
 - adding
 - SDX Admin SP-75–SP-78
 - SRC CLI SP-24
 - example
 - ScriptService SPI in Java SP-23, SP-75
 - ScriptService SPI in Jython SP-22, SP-74
 - for third-party devices IG-5
 - ScriptService interface SP-21, SP-72
- scripts
 - access to AL-28
 - adding to directory AL-28
 - defining access constraints AL-31
 - deleting AL-32
 - examples AL-42
 - generate (DirX) IG-54
 - load (eTrust Directory) IG-33
 - load (OID) IG-40, IG-42
 - load (Sun) IG-49
 - running on SAE AL-19
 - setup.sh (eTrust Directory) IG-34
 - thm.py AL-83, AL-94
 - thm.sh AL-94
- SDX Admin
 - content pane GS-358
 - data conversion to Unicode Transformation
 - Format-8 GS-363
 - deleting an entry GS-361
 - description GS-20
 - directory eventing and failure GS-17
 - general operating procedures GS-359
 - GUI panes example GS-21
 - icons
 - navigation pane GS-356
 - toolbar GS-354
 - layout GS-351
 - limitations GS-362
 - menu bar GS-352–GS-354
 - Meta Data tab GS-358
 - modifying an entry GS-361
 - navigation pane GS-355
 - Options menu, configuration parameters GS-353
 - pop-up menus GS-359
 - redo GS-360
 - revert button GS-361
 - save command GS-361
 - setting language GS-363
 - starting GS-350
 - text search GS-362
 - toolbar GS-354
 - undo GS-360
 - virtual deletion of object GS-361
- secondary directory GS-233
- secret permission GS-173
- secret-control permission GS-174
- security
 - configuring for gateway clients AL-24
 - digital certificates GS-201
 - clearing certificates GS-202, GS-206
 - clearing requests GS-206
 - prerequisites GS-202
 - requesting certificates GS-202, GS-203
 - requesting certificates through SCEP GS-204
 - viewing certificates GS-202
 - security certificates
 - information, viewing
 - C-Web interface MT-98
 - SRC CLI MT-91
 - security permission GS-174
 - security-control permission GS-174
 - sending traffic to VPNs SS-378
 - serial port, C-series Controller GS-72
 - serialized data compression, configuring
 - SRC CLI NG-28
- server license. *See* license
- Server Manager
 - password, RAD IG-87
 - user, RAD IG-87
- service activation SS-321
- service activation engine. *See* SAE
- service class name actions SP-155
 - configuring
 - Policy Editor SP-358
 - SRC CLI SP-274
- service flow scheduling types SP-157
- service flows SG-37
- service logic engine (SLE). *See* DPI
- service objects, access control IG-75
- service parameters, enterprise SS-322
- service permission GS-174
- service policies SP-143
 - installing on router SP-144
 - removing from router SP-144
- service schedules
 - action threshold, setting
 - SRC CLI SP-102
 - authorization schedules, configuring
 - SDX Admin SP-115
 - SRC CLI SP-103
 - changing
 - SDX Admin SP-125
 - configuring
 - SDX Admin SP-116–SP-125
 - SRC CLI SP-104–SP-109
 - Enterprise Manager Portal, in SS-355–SS-362
 - examples
 - SDX Admin SP-126, SP-131, SP-136
 - SRC CLI SP-109, SP-111, SP-113
 - exclusions, defining
 - SDX Admin SP-120, SP-122
 - SRC CLI SP-105
 - guidelines SP-99

- overview..... SP-93
 - action threshold SP-94
 - authorization schedules SP-95
 - configuring..... SP-98
 - effective period SP-96
 - event-based schedules..... SP-94
 - exclusions SP-98
 - one-time events SP-97
 - preparation time SP-94
 - recurring events SP-97
 - state-based schedules SP-95
- planning SP-99
- preparation time, setting
 - SRC CLI SP-102
- service scopes..... SP-27, SP-82
 - adding
 - SDX Admin SP-84
 - SRC CLI SP-28
 - adding to mutex groups
 - SDX Admin SP-85
 - assigning services
 - SDX Admin SP-85
 - SRC CLI SP-29
 - assigning subscribers
 - SDX Admin SP-82, SS-212
 - SRC CLI SP-27
 - assigning VRs
 - SDX Admin SP-82
 - SRC CLI SP-27
 - configuring
 - SDX Admin SP-83
 - SRC CLI SP-28
 - deleting SP-91
 - example
 - SDX Admin SP-87
 - SRC CLI SP-30
 - multiple scopes, defining
 - SCR CLI SP-27
 - SDX Admin SP-83
- service sessions
 - activate-on-login SS-38, SS-127
 - activating and tracking SS-127
 - activating with Web application..... SS-33
 - enterprise, remote activation..... SS-38
- service-control permission GS-174
- services
 - access. *See* access services
 - activate-only SP-31, SP-89
 - adding access
 - Policy Editor SP-35
 - adding aggregate
 - SDX Admin SP-64
 - SRC CLI SP-15
 - adding infrastructure
 - SDX Admin SP-70
 - SRC CLI SP-20
 - adding normal
 - SDX Admin SP-48
 - SRC CLI SP-5
 - adding outsourced
 - Policy Editor SP-36
 - adding RADIUS
 - Policy Editor SP-38
 - adding script services
 - SDX Admin SP-75
 - SRC CLI SP-24
 - adding value-added
 - Policy Editor SP-47
 - aggregate. *See* aggregate services
 - assigning to service scopes
 - SDX Admin SP-85
 - SRC CLI SP-29
 - automatic activation SP-4, SP-88
 - basic BoD SS-288, SS-291
 - BoD SS-293, SS-362
 - configuring bandwidth for NG-309, NG-312, NG-381, NG-386
 - deleting SP-90
 - scopes SP-91
 - using SDX Admin SP-90
 - using tools other than SDX Admin..... SP-90
 - infrastructure. *See* infrastructure services
 - JUNOS routing platforms SS-298
 - BoD and VPNs..... SS-298
 - NAT SS-286
 - LDAP schema for SRC-ACP..... NG-381
 - managing via external application AL-13
 - modifying SP-89
 - monitoring
 - C-Web interface..... NG-341
 - SRC CLI NG-330
 - mutually exclusive SP-25, SP-78
 - on demand..... GS-7
 - outsourced. *See* outsourced services
 - overview
 - C-series Controller SP-4
 - Solaris platform SP-34
 - premium service example
 - Policy Editor SP-389
 - SRC CLI SP-376
 - preventing activation NG-279
 - RADIUS. *See* RADIUS services
 - reloading on SAE NG-32, NG-38
 - restricting availability SP-27, SP-82
 - restricting simultaneous activation SP-25, SP-78
 - sample enterprise service portal, managing..... SS-419
 - script. *See* script services
 - setting parameter values..... SP-8
 - tiered Internet example
 - Policy Editor SP-383
 - SRC CLI SP-371
 - value-added. *See* value-added services
 - viewing on SAE
 - C-Web interface..... MT-127
 - SRC CLI MT-110
 - voice over IP (VoIP) SG-31
 - See also* firewall services
- session job manager, configuring
 - SRC CLI NG-29

- session store
 - configuring, SRC CLI
 - compressing session objects NG-28
 - device driver NG-24
 - global parameters NG-27
 - C-series controllers NG-23
 - in PCMM environment SG-50
 - in third-party networks IG-4
- SessionClassId, PCMM policies SP-159
- Session-Timeout, RAD IG-96
- set cli complete-on-space command CLI-85
- set cli directory command CLI-41, CLI-85
- set cli language command CLI-83
- set cli level command CLI-83
- set cli password command CLI-84
- set cli prompt command CLI-84
- set cli screen-length command CLI-83
- set cli screen-width command CLI-84
- set cli terminal command CLI-83
- set command CLI-52, CLI-56
- shaping rate. *See* traffic shaping
- shared secret, RAD IG-87
- shared user accounts GS-198, GS-199
- shell permission GS-174
- show cli authorization command CLI-86
- show cli command CLI-85
- show cli history command CLI-29
- show cli level command CLI-83
- show command CLI-52
- show component command 45, CLI-103
- show configuration command CLI-57
- show system information command 45
- silent installation file (Sun) IG-46
- silent installation mode, Solaris platforms GS-269
- simulated router driver, configuring
 - C-Web interface MT-31
 - SRC CLI MT-27
- simulated subscribers
 - logging in on SAE MT-34
 - logging out MT-34
- single phase resource reservation model, PCMM SG-38, SG-39
- single-host installation, Solaris platforms GS-246, GS-254
- sites SS-4, SS-5, SS-11, SS-12
 - subscriber SS-3, SS-9
 - adding, SDX Admin SS-221
 - adding, SRC CLI SS-189
- SNMP
 - configuring
 - server on JUNOS router NG-77
 - retrieving information from network devices IG-18
- SNMP agent
 - access control, configuring on C-series Controllers
 - community strings GS-221, GS-222
 - named views GS-223
 - SNMP groups GS-224
 - SNMPv3 users GS-219
 - VACM GS-222
- components MT-55
 - adding MT-58
 - deleting MT-62
 - fields MT-59
- configuration statements GS-210, GS-216
- configuring
 - C-series Controllers GS-211, GS-218
 - Solaris platforms GS-297
 - SRC CLI GS-211, GS-218
- description GS-21, GS-209, GS-297
- directory connection parameters, configuring
 - Solaris platforms GS-299
 - SRC CLI GS-214
- hierarchy and objects MT-54
- IOR file locations MT-52
- Java Runtime Environment, configuring
 - Solaris platforms GS-306
 - SRC CLI GS-216
- local properties, configuring
 - Solaris platforms GS-298
 - SRC CLI GS-211
- logging
 - severity levels GS-300
- logging, configuring
 - Solaris platforms GS-300
 - SRC CLI GS-215
- master agent communication, configuring
 - Solaris platforms GS-305
- master agent on Solaris platforms
 - commands GS-309
 - SNMP versions GS-309
- MIBs MT-44, MT-51
- monitoring
 - Solaris platforms GS-308
 - SRC CLI GS-229
- named views, defining
 - C-series Controllers GS-223
- Net-SNMP master agent GS-266, GS-297
- notification targets, configuring
 - C-series Controllers GS-227
 - SRC CLI GS-227
- starting
 - Solaris platforms GS-308
 - SRC CLI GS-228
- stopping
 - Solaris platforms GS-308
 - SRC CLI GS-229
- subagent to master agent GS-297
- subfolders
 - adding MT-57
 - deleting MT-57
 - overview MT-55
- system information, configuring
 - SRC CLI GS-218
- system management configurations
 - adding MT-57
 - deleting MT-58
 - overview MT-55

- trap history, configuring
 - Solaris platforms GS-306
 - SRC CLI GS-212
- viewing information on SAE
 - C-Web interface MT-140
 - SRC CLI MT-117
- watchdog program, configuring
 - Solaris platforms GS-306
- See also* SNMP traps
- SNMP communities
 - configuring on SAE NG-76
 - SRC CLI NG-52
- snmp control permission GS-174
- snmp permission GS-174
- SNMP server
 - configuring on JUNOS router NG-52
- SNMP traps
 - adding MT-63
 - alarm state transitions MT-78
 - configuring MT-46, MT-47
 - deleting MT-66
 - event traps
 - configuring MT-47
 - defined MT-45, MT-56
 - list and description MT-77-??
 - pane in SDX Admin MT-64
 - notification targets, configuring
 - C-series Controllers GS-227
 - notifications
 - defined MT-45, MT-56
 - overview MT-45, MT-56
 - performance traps
 - accounting MT-70
 - authentication MT-71
 - configuring MT-46
 - defined MT-45, MT-56
 - JPS MT-76
 - NIC MT-72
 - pane in SDX Admin MT-64
 - policy engine MT-75
 - redirect server MT-75
 - router driver MT-73
 - SAE MT-69
 - SRC-ACP MT-76
 - system management MT-75
 - workflow MT-74
- SOAP
 - clients AL-40
 - fault codes AL-50
 - interfaces, public AL-43
 - messages AL-42
 - operations AL-35
 - properties AL-43
 - requests AL-19, AL-35
 - sniffer AL-42
- software
 - CD installation (SPE) IG-83
- software CD
 - SRC AL-3
- software standards
 - draft RFCs GS-374
 - non-RFC standards GS-374
 - RFCs GS-373
- Solaris packages GS-276
 - installing AL-5, AL-6
 - removing AL-6
 - transferring to other hosts GS-278
- Solaris patches AL-5, GS-263
- source class usage (SCU) SS-298
- SRC Admission Control Plug-In. *See* SRC-ACP
- SRC CLI GS-189
 - directory connections
 - configuration statements GS-48
 - configuring GS-48
 - verifying configuration GS-50
 - overview GS-47
 - Policies, Services, and Subscribers CLI
 - password GS-52
 - starting GS-52
 - starting
 - C-series platform GS-51
 - Solaris platform GS-51
 - viewing, C-Web interface MT-102
- SRC client, JUNOS routers
 - configuring NG-46, NG-68
 - starting NG-58, NG-85
 - stopping NG-59, NG-86
- SRC components
 - config command GS-345
 - description GS-9
 - diagram GS-4
 - disabling CLI-104
 - enabling CLI-104
 - high availability GS-41
 - information, viewing
 - C-Web interface MT-96
 - SRC CLI MT-88
 - installation GS-275
 - managing CLI-44
 - restarting CLI-46, CLI-105
 - status CLI-103
- SRC owners AL-15
 - Dynamic Service Activator AL-18
- SRC SOAP Gateway. *See* SRC-SG
- SRC software
 - configuration prerequisites GS-43
 - configuring
 - C-series Controllers GS-44, GS-45
 - consolidated installation GS-252
 - deployment scenarios GS-245–GS-255
 - description GS-3
 - distributed installation GS-247
 - features and benefits GS-6, GS-8
 - financial advantages GS-6
 - installing component
 - C-series Controller GS-165
 - limits for system resources GS-276
 - OSS integration GS-6
 - rebooting CLI-47

- removing component
 - C-series Controller GS-165
- removing, Solaris platform GS-279
- services
 - description GS-3
- single-host installation, Solaris platforms GS-254
- snapshot on C-series Controller GS-162, GS-165
- stopping CLI-46
- upgrading
 - C-series Controller GS-162, GS-163, GS-165
- SRC software process, JUNOS routing platforms NG-90, NG-116
 - disabling NG-108, NG-135
 - reenabling NG-108, NG-135
- SRC Threat Mitigation Portal. *See* SRC-TMP
- SRC Volume-Tracking Application. *See* SRC-VTA
- SRC-ACP (SRC Admission Control Plug-In) ... NG-306, NG-376
 - API NG-281
 - ATM access network NG-275
 - authorizing and tracking services NG-278
 - backbone network management, configuring .. NG-310, NG-382
 - classification scripts
 - configuring NG-305, NG-375
 - configuring NG-286, NG-354, NG-358
 - congestion points NG-274, NG-359
 - connections to services directory, configuring.. NG-303, NG-371
 - connections to subscribers' directory,
 - configuring NG-302, NG-369
 - CORBA interfaces, configuring NG-299, NG-366
 - data files NG-296, NG-362
 - data files, reorganizing NG-325
 - description of NG-273
 - directory eventing, configuring NG-374
 - event publishers, configuring NG-292, NG-359
 - external applications NG-275, NG-278
 - external plug-in for SAE, configuring NG-273
 - fault recovery NG-280
 - groups, configuring NG-287
 - information from external applications,
 - displaying NG-333
 - installing AL-5
 - installing on Solaris platforms NG-354
 - interactions with other components NG-278–NG-279
 - LDAP schema NG-376–NG-381
 - logging properties, configuring NG-294, NG-361
 - monitoring NG-394
 - C-Web interface NG-337
 - SRC CLI NG-328
 - operation, configuring NG-296, NG-362
 - overview GS-28
 - preventing service activation NG-279
 - properties NG-294, NG-361
 - redundancy NG-280
 - configuring NG-300, NG-367
 - SAE, configuring for NG-291, NG-358
 - starting NG-325, NG-394
 - state synchronization NG-281
 - configuring NG-300, NG-368
 - stopping NG-325, NG-394
 - subscribers, monitoring NG-328, NG-338
 - supporting multiple SAEs NG-277
 - using multiple SRC-ACPs NG-277
- SRC-ACP (SRC Admission Control Plug-In), congestion
 - points NG-292
- SRC-SG (SRC SOAP Gateway) AL-13–AL-14
 - clients AL-13
 - developing AL-43–AL-53
 - managing AL-43–AL-53
 - testing AL-36–AL-42
 - description GS-22
 - Web application AL-14
- SRC-TMP (SRC Threat Mitigation Portal) AL-83–AL-94
 - configuring AL-77, AL-84
 - deploying AL-78, AL-84
 - managing attacks AL-83, AL-87
 - pending service activation AL-89
 - pending service deactivation AL-91
 - requiring action AL-88
 - with activated services AL-93
 - running AL-87
- SRC-VTA (SRC Volume-Tracking Application)
 - accounts
 - calculating interim interval AL-173
 - calculating usage AL-173
 - deleting information with administrator
 - portal AL-223
 - description AL-122
 - getting balances AL-173
 - initial balance, setting AL-161
 - interim accounting interval, setting AL-165–AL-169
 - managing with portals AL-123, AL-217–AL-228
 - managing with VTA Configuration Manager AL-157
 - purchasing with subscriber portal AL-227
 - replenishing with administrator portal AL-223
 - service AL-122
 - subscriber AL-122
 - suspending with subscriber portal AL-227
 - updating with actions AL-170
 - updating with scripts AL-159
 - usage metric, setting AL-162–AL-164
 - viewing with administrator portal AL-222
 - actions AL-127
 - running scripts AL-193
 - updating accounts AL-170
 - architecture AL-124
 - behaving service AL-122
 - bought account AL-122
 - bought quota AL-122
 - example AL-132
 - bucket account AL-122
 - example AL-229
 - configuring. *See* VTA Configuration Manager
 - connections to SRC components AL-124
 - database engine processor AL-127
 - configuring AL-157–AL-174
 - e-mail notifications, sending AL-175–AL-179

- event attributesAL-125
- event handlers.....AL-126
 - configuring.....AL-197–AL-200
- events.....AL-125
 - account update.....AL-125
 - callback.....AL-125
 - configuring.....AL-196
 - tracking events from SAE.....AL-125
- example
 - bucket VTA.....AL-229
 - limiting subscriber access.....AL-132
- how it works.....AL-124–AL-133
- initially configuring.....AL-136
- installing.....AL-136
- interval accounting interval, setting.....AL-165–AL-169
- JavaScript programsAL-136
- mail processor.....AL-127
 - configuring.....AL-175–AL-179
- misbehaving serviceAL-122
- network resource usage, determining.....AL-163
- NIC with the SRC-VTAAL-146
- operation process.....AL-129
- overview.....AL-121–AL-124
- periodic account.....AL-122
- periodic quotaAL-122
 - exampleAL-132
- processorsAL-127
- providing volume-based services.....AL-123
- quota serviceAL-122
 - activation upon depositAL-146
- related configuration tasksAL-137–AL-147
 - database accounts.....AL-137
 - deployment descriptors.....AL-139
 - EJB adapter plug-in.....AL-143
 - identifying subscribers, SAEs,
 - and sessionsAL-130
 - J2EE application server.....AL-138
 - J2EE application server client libraries.....AL-141
 - loading configurations from directoryAL-141
 - NIC.....AL-146
 - NIC proxiesAL-147
 - sending SAE tracking events to SRC-VTAAL-143
 - services and policies.....AL-140
 - subscribers and subscriptionsAL-141
 - tracking plug-ins, enterprise subscribersAL-145
- renaming VTAs.....AL-148
- SAE eventsAL-125
 - sending to SRC-VTAAL-143
- SAE proxy processorAL-128
 - configuring.....AL-180–AL-185
- script runner processorAL-128
 - configuring.....AL-186–AL-195
- scripts
 - account update.....AL-159
 - external.....AL-186, AL-190
 - JavaScript programsAL-186
 - runningAL-193
- sessions.....AL-123
 - closing.....AL-173
- subscriber login with IP addressAL-146
- testing VTA configuration with administrator
 - portalAL-223
- troubleshooting database deadlocksAL-140
- typesAL-121
- usage metric, configuringAL-162–AL-164
- validating configurations.....AL-213
- SSH (secure shell)
 - connection to remote host.....GS-207
- SSL (secure sockets layer). *See* LDAPS
- SSP services. *See* value-added services
- sspServiceProfile and access control schemeIG-70
- standards
 - draft RFCsGS-374
 - non-RFC software standards.....GS-374
 - RFCs.....GS-373
- starting
 - gateway client for PCsAL-40
 - SRC-ACPNG-325, NG-394
- state synchronization
 - SRC-ACPNG-281
- state synchronization plug-in interface
 - configuring
 - SRC CLISS-131
- stateful firewall policies.....SP-142
 - actions.....SP-155
 - configuring, Policy EditorSP-359
 - configuring, SRC CLI.....SP-275
 - application protocol conditions
 - defining, Policy EditorSP-311
 - defining, SRC CLI.....SP-241
 - map expressions, Policy Editor.....SP-312
 - map expressions, SRC CLISP-244
- statements. *See* configuration statements, *names of individual statements*
- static host mapping
 - configuring
 - SRC CLIGS-133
 - overviewGS-133
- static IP subscribers, login processSS-29–SS-31
- static propertiesAL-15
- static routes, configuringGS-77
- static routing.....SS-301, SS-308
- statistics, SRC-ACP
 - monitoring
 - C-Web interface.....NG-350
- Steel-Belted Radius/SPE serverGS-28
- stopping SRC-ACPNG-325, NG-394
- storing log messages
 - C-Web interface.....MT-17
 - SRC CLIMT-12
- structure rules.....IG-31
- subfolders, managing in SDX Admin.....GS-355
- subscriber
 - management, description.....GS-7
 - wireless environmentSG-22
- subscriber classification scripts. *See* classification scripts
- subscriber folders.....SS-4, SS-10
 - adding
 - SDX AdminSS-212
 - SRC CLISS-182

- subscriber permission GS-174
- subscriber sessions
 - activating with Web application SS-34
 - creating and tracking SS-126
 - deactivating with Web application SS-36
 - enterprise, creating and activating SS-32
 - logging in MT-34
 - logging out MT-38
 - viewing on SAE
 - C-Web interface MT-134
 - SRC CLI MT-113, MT-114, MT-115, MT-116
- subscriber-control permission GS-174
- subscribers
 - access SS-10
 - adding
 - SDX Admin SS-207–SS-224
 - SRC CLI SS-179–SS-191
 - assigning interfaces to NG-308, NG-380
 - billing SS-298
 - configuring bandwidths and congestion
 - points for NG-307, NG-308, NG-378
 - enterprise SS-3, SS-9
 - adding, SDX Admin SS-218
 - adding, SRC CLI SS-187
 - identifying AL-47
 - inheriting properties SS-178, SS-207
 - inheriting subscriptions SS-178, SS-207
 - IP addresses NG-225
 - LDAP model SS-202
 - login names NG-225
 - monitoring
 - C-Web interface NG-338, NG-347
 - SRC CLI NG-328, NG-333
 - password encryption SS-207
 - provisioned and actual bandwidths NG-278
 - residential SS-3, SS-9
 - adding, SDX Admin SS-214
 - adding, SRC CLI SS-183
 - retailer SS-3, SS-9
 - adding, SDX Admin SS-208
 - adding, SRC CLI SS-179
 - router SS-4, SS-10
 - adding, SDX Admin SS-223
 - adding, SRC CLI SS-190
 - service scopes, assigning
 - SDX Admin SS-212
 - sites SS-3, SS-9
 - adding, SDX Admin SS-221
 - adding, SRC CLI SS-189
 - types SS-3, SS-9
- subscriptions SS-4, SS-10, SS-202
 - access, configuring
 - SDX Admin SS-233
 - SRC CLI SS-196
 - activating access for operators IG-76
 - activation order, specifying
 - SDX Admin SS-203
 - SRC CLI SS-178
 - attributes for AL-49
 - enterprise hierarchy SS-325
 - hierarchy SS-5, SS-12
 - LDAP model SS-203
 - multiple per subscriber SS-196, SS-230
 - outsourced services, configuring SS-230
 - password encryption SS-207
 - priority SS-276
 - RADIUS, configuring SS-236
 - reloading on SAE NG-33, NG-38
 - sample enterprise service portal, creating SS-419
 - value-added services, configuring SS-227
- substitutions
 - access IG-77
 - aggregate services, configuring SP-17, SP-69
 - comments SP-403
 - adding SP-410
 - configuring SP-56, SS-240
 - definition SP-398
 - exceptions, raising SP-405
 - expressions SP-404–SP-410
 - IPv4 addresses SP-406
 - keywords SP-406
 - lists, formatting SP-406
 - maps, formatting SP-406
 - numbers, formatting SP-405
 - operators SP-407–SP-410
 - parameter names, specifying SP-405
 - ranges SP-406
 - separators SP-407
 - strings, formatting SP-405
 - subordinate expressions SP-404
 - syntax SP-404
 - formatting SP-403–SP-410
 - map expressions SP-406
 - mathematical expressions SP-404–SP-410
 - parameter acquisition path SS-322
 - parameter names SP-403
 - roles SP-403
 - sample enterprise portal SS-425
 - types SP-403
 - use SS-323
 - validation SP-410
 - See also* parameters
- sudo command GS-258
- Sun ONE Directory Server
 - access control IG-79
 - add-on package IG-46–IG-47
 - backing up directory IG-50
 - cloning the directory server GS-332
 - enterprise service portal SS-329
 - installing IG-48
 - integrating with SRC software IG-47–IG-49
 - integration GS-17
 - load script IG-49
 - loading sample data IG-49
 - obtaining IG-47
 - product description IG-45
 - restarting IG-50
 - restoring directory IG-51
 - silent installation feature IG-46

- starting IG-49
 - stopping IG-50
 - superuser environment (DirX) IG-59
 - super-user login class GS-175
 - swmtool command AL-6
 - symbols in statements CLI-25
 - symmetric active mode, NTP GS-120
 - syntax for directory entries IG-24
 - sysdef command GS-276
 - system authentication. *See* authentication
 - system log server
 - configuration prerequisites GS-129
 - configuration statements GS-129
 - message groups GS-128
 - message severity levels GS-128
 - messages
 - file locations GS-129
 - messages, file
 - SRC CLI GS-129
 - messages, server
 - SRC CLI GS-130
 - messages, user notification
 - SRC CLI GS-131
 - overview GS-127
 - system logging. *See* logging
 - system login GS-189
 - system management
 - access control scheme IG-73
 - system permission GS-175
 - system requirements
 - RAD IG-86
 - system requirements for gateway client for PCs AL-39
 - system requirements, Solaris platforms GS-259
 - system resources, SRC processes GS-276
 - system-control permission GS-175
- T**
- TACACS+ authentication. *See* authentication
 - targets. *See* classification scripts
 - tariff models GS-6
 - tee command GS-268
 - Telnet connection to remote host GS-207
 - template authentication accounts GS-197
 - terminal type CLI-83
 - test user password, RAD IG-87
 - testing
 - Dynamic Service Activator AL-36–AL-42
 - third-party devices
 - creating sessions IG-5
 - initialization scripts
 - SRC CLI IG-15
 - integrating into SRC network
 - SRC CLI IG-3–IG-18
 - logging in subscribers
 - assigned IP method IG-6
 - event notification method IG-7
 - overview IG-5
 - provisioning with script services IG-5
 - router objects, adding
 - SRC CLI IG-10
 - SAE communities IG-4
 - VR objects, adding
 - SRC CLI IG-11
 - third-party URLs GS-375
 - threads
 - configuring for sessions
 - SRC CLI NG-29
 - viewing on SAE
 - C-Web interface MT-134
 - SRC CLI MT-112
 - threat mitigation
 - managing attacks with the SRC-TMP AL-87
 - pending service activation AL-89
 - pending service deactivation AL-91
 - requiring action AL-88
 - with activated services AL-93
 - Threat Mitigation Application
 - configuration tool AL-73
 - configuring AL-73
 - database configuration AL-68
 - deploying AL-78
 - initially configuring AL-66
 - installing AL-66
 - prerequisites AL-64
 - record servlet AL-83
 - related configuration tasks AL-67–AL-82
 - sample implementation AL-65
 - services in response to incidents AL-79
 - thm.py script AL-83
 - Threat Mitigation Portal. *See* SRC-TMP
 - tiered Internet service, example
 - Policy Editor SP-383
 - SRC CLI SP-371
 - time zone GS-111
 - Tomcat installation, RAD IG-86
 - Tomcat, as Java development environment SS-427
 - toolbar, SDX Admin GS-354
 - top command CLI-52
 - tracking plug-ins SS-123
 - configuring
 - SRC CLI SS-140
 - virtual routers
 - SDX Admin NG-74, NG-123
 - SRC CLI NG-49, NG-93
 - traffic mirror actions SP-155
 - configuring
 - Policy Editor SP-361
 - SRC CLI SP-277
 - traffic mirroring
 - administration GS-34
 - application GS-34
 - traffic profiles, PCMM SG-41
 - traffic profiles, PCMM policies SP-161
 - traffic shape actions
 - configuring
 - Policy Editor SP-363
 - SRC CLI SP-278

- traffic shaping
 - actions SP-155
 - policy rules SP-150
 - traffic-class actions SP-155
 - configuring
 - Policy Editor SP-360
 - SRC CLI SP-276
 - traffic-shape actions SP-155
 - transaction-based RADIUS protocol, RAD IG-88
 - translation, file format GS-278
 - traps. *See* SNMP traps
 - troubleshooting
 - JUNOS routing platforms NG-109, NG-136
 - JUNOSe routers NG-60, NG-87
 - poolRepublish command NG-83
 - tools MT-3
 - with log files MT-7
 - tuning factors for background bandwidth NG-277
 - tunnel interfaces, configuring GS-74
- U**
- UDP ports
 - RAD IG-88, IG-90, IG-98
 - RADIUS plug-ins SS-162
 - UGS (unsolicited grant service) SP-158
 - configuring
 - Policy Editor SP-321
 - SRC CLI SP-248
 - UGS-AD (unsolicited grant service with activity detection) SP-158
 - configuring
 - Policy Editor SP-321
 - SRC CLI SP-248
 - UIDs GS-185
 - uid-uniqueness plug-in (Sun) IG-46
 - ulimit command GS-276
 - UmcConfiguration and access controls IG-70
 - umcRadius Person and access control scheme IG-71
 - umcUser and access control scheme IG-71
 - unauthorized login class GS-175
 - Unicode Transformation Format-8
 - localization in SDX Admin GS-363
 - uniform resource identifier. *See* URI
 - uninstall command GS-279
 - uninstallation
 - description GS-279
 - logging session GS-280
 - uninstalling. *See* removing
 - unique user IDs, SDX Admin GS-362
 - Unisphere VSA, updating, RAD IG-91
 - unresponsive directories GS-234
 - unsolicited grant service. *See* UGS
 - unsolicited grant with activity detection. *See* UGS-AD
 - up command CLI-52
 - upgrade license requirements GS-104
 - upstream bandwidth NG-274
 - upstreamBackgroundRate attribute NG-376
 - upstreamProvisionedRate attribute NG-376, NG-378
 - upstreamSyncRate attribute NG-378
 - URI (uniform resource identifier) AL-47
 - URLs in commands CLI-44
 - usage data GS-7
 - user accounts
 - authentication
 - configuring passwords GS-187
 - configuring SSH authentication GS-187
 - root password GS-188
 - authentication method and password GS-186
 - configuration GS-184
 - configuration example CLI-11
 - configuration statements GS-183
 - configuration verification GS-186
 - configuring GS-183
 - example GS-188
 - overview GS-63, GS-171, GS-186
 - SRC CLI GS-183
 - shared GS-198, GS-199
 - See also* login classes
 - user class in access control lists IG-68
 - User Datagram Protocol. *See* UDP
 - user identifiers. *See* UIDs
 - user notification messages
 - SRC CLI GS-131
 - user packet class actions SP-155
 - configuring
 - Policy Editor SP-364
 - SRC CLI SP-279
 - user permissions, viewing
 - C-Web interface MT-102
 - user subtree and access control scheme IG-75
 - users, authorized GS-258
 - users, viewing
 - C-Web interface MT-99
- V**
- validating
 - substitutions SP-410
 - VPNs SS-313
 - value acquisition for parameters
 - multiple subscriptions SP-400
 - single subscriptions SP-398
 - value consistency, SDX Admin GS-362
 - value substitution SS-324
 - value-added services SP-34
 - adding
 - Policy Editor SP-47
 - aggregate services SP-59–SP-70
 - fragment services SP-59
 - prerequisites SP-59
 - infrastructure services SP-70–SP-71
 - normal services SP-47–SP-53
 - script services SP-75–SP-78
 - subscriptions
 - configuring SS-227
 - types SP-47
 - variables.tcl file (DirX) IG-54
 - vendor files, RAD IG-91
 - vendor-specific attributes. *See* VSAs

- verifyInst commandGS-261
 - view permissionGS-175
 - view-configuration permission.....GS-175
 - virtual deletion, SDX Admin.....GS-361
 - virtual private networks. *See* VPNs
 - virtual routers
 - adding for third-party devices
 - SRC CLI IG-11
 - adding individually for JUNOS routing
 - platforms NG-92
 - SDX Admin NG-119–NG-124
 - adding individually for JUNOSe routers
 - SDX Admin NG-71
 - SRC CLI NG-48
 - adding operative VRs.....NG-91
 - SDX Admin NG-69
 - SRC CLI NG-47
 - updating IP address pools. *See* IP address pools .. NG-80
 - Volume-Tracking Application. *See* SRC-VTA
 - VPNs (virtual private networks)
 - adding
 - SDX Admin SS-309
 - SRC CLI SS-303
 - configuration requirementsSS-301, SS-307, SS-308
 - configuration statementsSS-302
 - definition SS-302, SS-307
 - deleting SS-313
 - directory..... SS-375
 - exporting..... SS-311
 - extranet clients, modifying
 - SDX Admin SS-311, SS-313
 - SRC CLI SS-304
 - identifiers SS-297
 - invalid subscriptions..... SS-313
 - modifying.....SS-304, SS-310, SS-375
 - VPN to which router sends traffic..... SS-378
 - routing schemes SS-301, SS-308
 - sending traffic SS-378
 - stopping router from sending traffic..... SS-379
 - using NAT..... SS-301, SS-308
 - validating..... SS-313
 - VSAs (vendor-specific attributes)
 - configuring for servicesSP-41–SP-47
 - RAD..... IG-91
 - VTA Configuration ManagerAL-150–AL-215
 - available configuration tasksAL-156
 - committing configurations to directoryAL-214
 - connecting to directoryAL-152
 - database accountsAL-157
 - exporting configurations to a local file.....AL-215
 - importing configurations from a local file.....AL-155
 - installing.....AL-150
 - loading configurations from directory.....AL-152
 - login nameAL-150
 - password.....AL-150
 - runningAL-150
 - validating configurationsAL-213
 - VTA portals
 - administrator portal.....AL-221
 - accessing.....AL-221
 - deleting information from VTA database.....AL-223
 - replenishing periodic accountsAL-223
 - testing VTA configurationAL-223
 - viewing subscriber accounts.....AL-222
 - automatic login.....AL-218
 - configuring propertiesAL-218
 - managing subscriber accounts..... AL-217–AL-228
 - subscriber portal.....AL-224
 - accessing.....AL-225
 - purchasing extra bandwidthAL-228
 - purchasing periodic accountsAL-227
 - suspending periodic accounts.....AL-227
 - VTA. *See* SRC-VTA
- W**
- WAR files AL-7, GS-319
 - Web application server..... AL-15, AL-24, AL-34
 - Web applications
 - installing..... AL-7, GS-319
 - removing..... AL-8, GS-321
 - SRC SOAP GatewayAL-13
 - Web Services Description Language. *See* WSDL
 - wholesaler-retailer environmentsAL-13
 - wireless environment..... SG-21–SG-29
 - working directory.....CLI-85
 - WSDL filesAL-43
- X**
- XML format, command output in.....CLI-72
 - X-Windows access GS-263

